

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE072418\
 Data File : FE028401.D
 Signal(s) : FID1B.CH
 Acq On : 25 Jul 2018 11:51
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 25 15:14:11 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE071918.M
 Quant Title :
 QLast Update : Fri Jul 20 01:13:49 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.998	7436344	43.648 ug/ml
Target Compounds			
1) N-OCTANE	2.581	37669085	423.923 ug/ml
2) N-NONANE	3.619	41304178	443.346 ug/ml
3) N-DECANE	4.708	66509449	453.922 ug/ml
4) N-UNDECANE	5.753	70090908	687.489 ug/ml
5) N-DODECANE	6.744	72538774	686.415 ug/ml
6) N-TETRADECANE	8.554	76641093	661.576 ug/ml
7) N-HEXADECANE	10.162	64419711	515.356 ug/ml
8) N-OCTADECANE	11.595	31610759	238.956 ug/ml
9) N-EICOSANE	12.897	12320531	90.443 ug/ml
10) N-TETRACOSANE	15.209	11640611	87.153 ug/ml
11) N-OCTACOSANE	17.180	5690186	46.706 ug/ml
12) N-DOTRIACONTANE	18.906	5766610	50.427 ug/ml
14) N-HEXATRIACONTANE	20.435	5559180	50.547 ug/ml
15) N-TETRACONTANE	22.280	5429160	50.090 ug/ml
16) N-TETRTETRACOOCTANE	25.460	4941602	47.240 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE072418\
Data File : FE028401.D
Signal(s) : FID1B.CH
Acq On : 25 Jul 2018 11:51
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 25 15:14:11 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE071918.M
Quant Title :
QLast Update : Fri Jul 20 01:13:49 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

