



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Environmental Restoration, LLC

Project Name: North Arlington, NJ

Project # N/A

Order ID # Q2646

Test Name: TCLP BNA

A. Number of Samples and Date of Receipt:

1 Water sample was received on 07/18/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: TCLP BNA. This data package contains results for TCLP BNA.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df. The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGA. The analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries were met for all analysis.

The Internal Standards Areas were met for all analysis except for FRAC TANK, due to matrix interference, which can be witnessed by the abnormal chromatogram. Although the internals are passing in the its associated MS/MSD they are near the border, therefore no further corrective action was taken.

The Retention Times were met for all analysis.

The MS {Q2646-03MS} with File ID: BF143199.D recoveries met the requirements for all compounds except for 2,4,6-Trichlorophenol[72%], 2-Methylphenol[158%] and Pyridine[0%], due to matrix interference.

The MSD {Q2646-03MSD} with File ID

: BF143200.D recoveries met the requirements for all compounds except for 2,4,6-Trichlorophenol[76%], 2-Methylphenol[152%] and Pyridine[0%], due to matrix interference.

The RPD were met for all analysis.

The Blank Spike met requirements for all compounds.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the Requirements.
The Continuous Calibration met the requirements.
The Tuning criteria met requirements.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____