

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE072622\
 Data File : FE036726.D
 Signal(s) : FID1B.ch
 Acq On : 26 Jul 2022 21:48
 Sample : 4400 TRPH STD
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE072622.M
 Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.966	1.923	2.041	BV	3375633	37087827	60.81%	8.410%
2	3.242	3.195	3.289	BV	3263914	38501115	63.13%	8.730%
3	4.510	4.457	4.552	BV	4450635	59553649	97.65%	13.504%
4	5.650	5.597	5.745	BB	4451763	60117346	98.58%	13.632%
5	6.682	6.622	6.714	BV	4487920	60427065	99.08%	13.702%
6	8.509	8.422	8.531	BV	4162791	60985434	100.00%	13.829%
7	10.113	10.057	10.236	VB	3590705	50890428	83.45%	11.540%
8	11.544	11.492	11.656	BB	1978589	25764476	42.25%	5.842%
9	12.844	12.803	12.985	BB	757340	10212050	16.75%	2.316%
10	14.939	14.885	15.012	BB	434985	6161541	10.10%	1.397%
11	15.145	15.081	15.271	BB	749730	10130798	16.61%	2.297%
12	17.112	17.061	17.208	BB	341503	4857710	7.97%	1.102%
13	18.834	18.776	18.907	BB	298785	4462235	7.32%	1.012%
14	20.356	20.023	20.417	BB	260963	4085395	6.70%	0.926%
15	21.969	21.884	22.085	BV	159613	3999519	6.56%	0.907%
16	24.687	24.507	24.850	BV	79611	3767792	6.18%	0.854%
Sum of corrected areas:						441004380		

C44-FE072622.M Wed Jul 27 08:43:21 2022