

rteres

Instrument :

FID_E

ClientSampleId :

PB162289BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/29/2024

Supervised By :Ankita Jodhani 07/29/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07262
Data File : FE049272.D
Signal(s) : FID1B.ch
Acq On : 26 Jul 2024 16:33
Sample : PB162289BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.304	3.235	3.435	BV	546292	5361890	45.99%	2.389%
2	4.550	4.478	4.569	BV	610144	5756368	49.38%	2.565%
3	4.588	4.569	4.691	VV	630237	6262946	53.72%	2.790%
4	6.254	6.188	6.438	BB	656912	6638684	56.95%	2.958%
5	6.714	6.645	6.818	BB	587647	5943929	50.99%	2.648%
6	7.350	7.311	7.471	BV	659042	6627649	56.85%	2.953%
7	8.543	8.378	8.615	BV	604519	6300984	54.05%	2.807%
8	8.652	8.615	8.821	VV	617874	6656251	57.10%	2.966%
9	8.952	8.920	9.151	VB	640858	6705889	57.52%	2.988%
10	9.740	9.668	9.866	BV	568272	6312907	54.15%	2.813%
11	10.148	10.110	10.271	PB	574807	6316384	54.18%	2.814%
12	11.147	11.035	11.193	BV	528131	5834477	50.05%	2.600%
13	11.223	11.193	11.370	VV	509224	6032462	51.75%	2.688%
14	11.592	11.551	11.715	PB	521604	6244351	53.56%	2.782%
15	11.910	11.831	12.085	BB	654125	7104487	60.94%	3.165%
16	12.900	12.775	12.933	BV	550151	6220260	53.36%	2.771%
17	12.968	12.933	13.128	VV	493763	5867655	50.33%	2.614%
18	13.267	13.211	13.304	VV	503610	5761201	49.42%	2.567%
19	13.344	13.304	13.471	VV	447637	5581931	47.88%	2.487%
20	13.511	13.471	13.635	VB	503864	6043995	51.85%	2.693%
21	14.097	13.985	14.198	BB	477663	5957891	51.11%	2.655%
22	15.145	15.098	15.166	BV	367103	4692871	40.26%	2.091%
23	15.194	15.166	15.535	VV	717843	11657780	100.00%	5.194%
24	16.220	15.975	16.298	BB	459907	5909785	50.69%	2.633%
25	16.706	16.565	16.721	BV	319971	4638951	39.79%	2.067%
26	16.738	16.721	16.931	VV	385369	5397726	46.30%	2.405%
27	17.087	17.018	17.130	BV	315847	4163366	35.71%	1.855%
28	17.168	17.130	17.365	VB	437092	6268774	53.77%	2.793%
29	18.056	17.978	18.151	VB	438911	5998739	51.46%	2.673%
30	18.460	18.401	18.477	BV	238546	3505268	30.07%	1.562%
31	18.493	18.477	18.678	VV	222900	4568409	39.19%	2.035%
32	18.717	18.678	18.841	VV	281229	4822882	41.37%	2.149%
33	18.888	18.841	18.998	VV	439469	6451285	55.34%	2.874%
34	19.670	19.321	19.745	VV	425232	6197007	53.16%	2.761%
35	20.410	20.351	20.518	BV	445215	6796200	58.30%	3.028%
36	21.144	21.096	21.213	BBA	382878	6840509	58.68%	3.048%

37 22.048 21.983 22.200 BBA 289995 6996353 60.01% 3.117%
rteres
Sum of corrected areas: 2244

Aliphatic EPH 071724.M Sat Jul 27 01:29:06 2024

Instrument :

FID_E

ClientSampleId :

PB162289BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/29/2024
Supervised By :Ankita Jodhani 07/29/2024