

rteres

Instrument :

FID_E

ClientSampleId :

PB162356BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/31/2024

Supervised By :Ankita Jodhani 07/31/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07302

Data File : FE049309.D

Signal(s) : FID1B.ch

Acq On : 30 Jul 2024 14:19

Sample : PB162356BSD

Misc :

ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.300	3.238	3.491	BB	508374	4994910	43.43%	2.308%
2	4.547	4.474	4.565	BV	543848	5168927	44.94%	2.389%
3	4.584	4.565	4.684	VV	576656	5646558	49.10%	2.609%
4	6.251	6.178	6.461	BB	578341	5784491	50.30%	2.673%
5	6.710	6.644	6.834	BB	517359	5101231	44.36%	2.357%
6	7.346	7.311	7.468	BV	543386	5681111	49.40%	2.625%
7	8.539	8.391	8.611	BV	520399	5483491	47.68%	2.534%
8	8.648	8.611	8.801	VV	566018	5856163	50.92%	2.706%
9	8.947	8.918	9.151	VB	573556	5991419	52.10%	2.769%
10	9.736	9.661	9.864	BV	538671	5856349	50.92%	2.706%
11	10.145	10.111	10.254	PB	528229	5955086	51.78%	2.752%
12	11.144	11.034	11.191	BV	501469	5721272	49.75%	2.644%
13	11.219	11.191	11.371	VV	489008	5849881	50.86%	2.703%
14	11.588	11.550	11.711	PB	530316	6204560	53.95%	2.867%
15	11.907	11.828	12.018	BV	612121	6594236	57.34%	3.047%
16	12.897	12.857	12.930	PV	534169	6274261	54.55%	2.899%
17	12.964	12.930	13.122	VV	480516	5936255	51.62%	2.743%
18	13.264	13.224	13.301	BV	509877	5838680	50.77%	2.698%
19	13.341	13.301	13.471	VV	418897	5219509	45.38%	2.412%
20	13.508	13.471	13.631	VB	501523	6106789	53.10%	2.822%
21	14.094	13.974	14.198	BB	491349	6045511	52.57%	2.794%
22	15.142	15.068	15.163	BV	357517	4736267	41.18%	2.189%
23	15.190	15.163	15.351	VV	721683	11500800	100.00%	5.314%
24	16.217	16.158	16.293	BB	456841	6020556	52.35%	2.782%
25	16.703	16.574	16.718	BV	358623	4788608	41.64%	2.213%
26	16.736	16.718	16.928	VV	385668	5550253	48.26%	2.565%
27	17.083	17.008	17.130	BV	309558	4286820	37.27%	1.981%
28	17.166	17.130	17.428	VB	446833	6432764	55.93%	2.973%
29	18.054	17.978	18.124	PB	442990	6096994	53.01%	2.817%
30	18.457	18.401	18.473	BV	227329	3412497	29.67%	1.577%
31	18.491	18.473	18.674	VV	211224	4648851	40.42%	2.148%
32	18.713	18.674	18.840	VV	263059	4752777	41.33%	2.196%
33	18.885	18.840	19.024	VV	447863	6471800	56.27%	2.991%
34	19.668	19.334	19.754	BV	443074	6212161	54.02%	2.871%
35	20.407	20.351	20.444	BV	424675	6616573	57.53%	3.057%
36	21.139	21.091	21.209	BBA	401964	6846404	59.53%	3.164%

37 22.043 21.981 22.199 BBA 283163 6722215 58.45% 3.106%
rteres
Sum of corrected areas: 2164

Aliphatic EPH 071724.M Wed Jul 31 01:43:25 2024

Instrument :

FID_E

ClientSampleId :

PB162356BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/31/2024
Supervised By :Ankita Jodhani 07/31/2024