

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE073123AL\
 Data File : FE043637.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jul 2023 15:05
 Operator : YP\AJ
 Sample : 03812-02DL 2X
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 WC-1-EPH-2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/01/2023
 Supervised By :Ankita Jodhani 08/01/2023

Integration File: autoint1.e
 Quant Time: Aug 01 03:59:38 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071323.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 13 03:02:53 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.886	3126003	17.457 ug/mlm
Spiked Amount 50.000		Recovery =	34.91%
12) S 1-chlorooctadecane (S...	13.324	2549942	19.407 ug/ml
Spiked Amount 50.000		Recovery =	38.81%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE073123AL\
Data File : FE043637.D
Signal(s) : FID1B.ch
Acq On : 31 Jul 2023 15:05
Operator : YP\AJ
Sample : 03812-02DL 2X
Misc :
ALS Vial : 18 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
WC-1-EPH-2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/01/2023
Supervised By :Ankita Jodhani 08/01/2023

Integration File: autoint1.e
Quant Time: Aug 01 03:59:38 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071323.M
Quant Title : GC Extractables
QLast Update : Thu Jul 13 03:02:53 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.886 min
Delta R.T.: -0.026 min
Response: 3126003
Conc: 17.46 ug/ml

Instrument :
FID_E
ClientSampleId :
WC-1-EPH-2DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/01/2023
Supervised By :Ankita Jodhani 08/01/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.324 min
Delta R.T.: -0.022 min
Response: 2549942
Conc: 19.41 ug/ml