

rteres

Instrument :

FID_E

ClientSampleId :

PB162380BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/01/2024

Supervised By :Ankita Jodhani 08/01/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07312
Data File : FE049331.D
Signal(s) : FID1B.ch
Acq On : 31 Jul 2024 14:09
Sample : PB162380BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.303	3.234	3.498	BB	638186	6235168	51.13%	2.656%
2	4.548	4.478	4.566	BV	692040	6546397	53.69%	2.788%
3	4.585	4.566	4.688	VV	716147	7072330	58.00%	3.012%
4	6.251	6.181	6.481	BB	731968	7293498	59.81%	3.106%
5	6.711	6.641	6.838	BB	644770	6452846	52.92%	2.748%
6	7.347	7.311	7.471	BV	690801	7090321	58.15%	3.020%
7	8.540	8.371	8.618	BV	641445	6682806	54.80%	2.846%
8	8.649	8.618	8.808	VV	682019	7026448	57.62%	2.993%
9	8.948	8.918	9.158	VB	676278	7073955	58.01%	3.013%
10	9.737	9.644	9.901	BV	578354	6685219	54.82%	2.847%
11	10.145	10.108	10.268	PB	609206	6632866	54.40%	2.825%
12	11.144	11.048	11.191	BV	536130	6126024	50.24%	2.609%
13	11.220	11.191	11.368	VV	540145	6325804	51.88%	2.694%
14	11.588	11.551	11.708	PB	577800	6544713	53.67%	2.787%
15	11.907	11.814	12.081	BB	593766	6688757	54.85%	2.849%
16	12.897	12.801	12.930	BV	546886	6511843	53.40%	2.773%
17	12.965	12.930	13.120	VV	502589	6138787	50.34%	2.615%
18	13.264	13.228	13.302	VV	517556	6045396	49.58%	2.575%
19	13.342	13.302	13.471	VV	426208	5221684	42.82%	2.224%
20	13.508	13.471	13.628	VB	525412	6316981	51.80%	2.690%
21	14.094	13.981	14.201	BB	503780	6226344	51.06%	2.652%
22	15.144	15.031	15.164	BV	394610	4923406	40.38%	2.097%
23	15.192	15.164	15.531	VV	774973	12193823	100.00%	5.193%
24	16.218	15.964	16.318	BB	463600	6164630	50.56%	2.626%
25	16.705	16.591	16.720	BV	347322	4993481	40.95%	2.127%
26	16.737	16.720	16.924	VV	420589	5732507	47.01%	2.441%
27	17.085	17.004	17.131	BV	324287	4459555	36.57%	1.899%
28	17.166	17.131	17.381	VB	467702	6531512	53.56%	2.782%
29	18.054	17.981	18.128	PB	441461	6255553	51.30%	2.664%
30	18.459	18.401	18.476	BV	246703	3624042	29.72%	1.543%
31	18.493	18.476	18.678	VV	233028	4764693	39.07%	2.029%
32	18.714	18.678	18.837	VV	272736	4891904	40.12%	2.083%
33	18.885	18.837	19.021	VB	452990	6635952	54.42%	2.826%
34	19.669	19.311	19.738	PV	466046	6234727	51.13%	2.655%
35	20.408	20.351	20.471	BB	449085	6651199	54.55%	2.833%
36	21.141	21.091	21.209	BBA	400047	6986495	57.30%	2.976%

37 22.046 21.981 22.154 BV 284513 6814502 55.88% 2.902%
rteres
Sum of corrected areas: 2347

Aliphatic EPH 071724.M Thu Aug 01 01:52:21 2024

Instrument :

FID_E

ClientSampleId :

PB162380BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/01/2024
Supervised By :Ankita Jodhani 08/01/2024