

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE073124AL\
 Data File : FE049323.D
 Signal(s) : FID1B.ch
 Acq On : 31 Jul 2024 09:12
 Operator : YP\AJ
 Sample : P3372-02DL 5X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 OR-03-07252024-E2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/31/2024
 Supervised By :Ankita Jodhani 08/01/2024

Integration File: autoint1.e
 Quant Time: Jul 31 10:50:22 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 17 14:26:40 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.905	898091	5.790 ug/mlm
Spiked Amount	50.000	Recovery	= 11.58%
12) S 1-chlorooctadecane (S...	13.343	714633	6.117 ug/ml
Spiked Amount	50.000	Recovery	= 12.23%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE073124AL\
Data File : FE049323.D
Signal(s) : FID1B.ch
Acq On : 31 Jul 2024 09:12
Operator : YP\AJ
Sample : P3372-02DL 5X
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
OR-03-07252024-E2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/31/2024
Supervised By :Ankita Jodhani 08/01/2024

Integration File: autoint1.e
Quant Time: Jul 31 10:50:22 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.
Quant Title : GC Extractables
QLast Update : Wed Jul 17 14:26:40 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.905 min
Delta R.T.: -0.006 min
Response: 898091
Conc: 5.79 ug/ml

Instrument :
FID_E
ClientSampleId :
OR-03-07252024-E2DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/31/2024
Supervised By :Ankita Jodhani 08/01/2024



#12 1-chlorooctadecane (SURR)

R.T.: 13.343 min
Delta R.T.: -0.004 min
Response: 714633
Conc: 6.12 ug/ml