

rteres

Instrument :
FID_E
ClientSampleId :
LOQ-WATER-05-QT3-2024
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/06/2024
Supervised By :Ankita Jodhani 08/06/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08052
Data File : FE049449.D
Signal(s) : FID1B.ch
Acq On : 05 Aug 2024 13:39
Sample : P3390-11
Misc : 5 PPM WATER LOQ
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE072924.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.018	1.984	2.091	BB	49383	614562	32.69%	4.345%
2	4.532	4.498	4.577	BB	68799	718264	38.21%	5.078%
3	6.701	6.666	6.750	BB	68328	705608	37.53%	4.989%
4	8.528	8.482	8.599	BB	67369	754415	40.13%	5.334%
5	10.134	10.094	10.193	BB	64123	728800	38.77%	5.152%
6	11.575	11.537	11.634	BB	62226	744306	39.59%	5.262%
7	12.884	12.861	12.938	BB	62894	735969	39.15%	5.203%
8	14.081	14.049	14.141	VB	60228	744908	39.62%	5.266%
9	14.980	14.936	15.055	BB	134333	1879982	100.00%	13.291%
10	15.183	15.122	15.239	BB	56840	747070	39.74%	5.282%
11	16.203	16.161	16.262	BB	56673	749845	39.89%	5.301%
12	17.151	17.103	17.195	BB	54065	754257	40.12%	5.332%
13	18.037	17.988	18.083	BB	58619	814230	43.31%	5.756%
14	18.869	18.815	18.927	BB	59192	833641	44.34%	5.894%
15	19.652	19.601	19.692	BB	51821	760883	40.47%	5.379%
16	20.390	20.351	20.436	BB	46071	657243	34.96%	4.647%
17	21.120	21.091	21.170	BB	35071	584141	31.07%	4.130%
18	22.017	21.945	22.104	BB	25072	616501	32.79%	4.359%
Sum of corrected areas:						14144625		

FE072924.M Tue Aug 06 01:47:21 2024