

Data Path : Z:\bestpcbsrv\HPCHEM1\FID E\Data\FE080618\
 Data File : FE028486.D
 Signal(s) : FID1B.CH
 Acq On : 06 Aug 2018 18:01
 Operator : AJ\SJ
 Sample : J4283-01MSD 10X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Aug 07 08:41:07 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE073118.M
 Quant Title :
 QLast Update : Tue Jul 31 14:21:48 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	14.991	206167	1.271 ug/ml
Target Compounds				
2)	N-DECANE	4.672	200995	1.088 ug/ml
3)	N-DODECANE	6.701	253173	1.277 ug/ml
4)	N-TETRADECANE	8.507	273188	1.327 ug/ml
5)	N-HEXADECANE	10.116	280060	1.352 ug/ml
6)	N-OCTADECANE	11.566	284962	1.396 ug/ml
7)	N-EICOSANE	12.882	284372	1.445 ug/ml
8)	N-DOCOSANE	14.087	253320	1.333 ug/ml
10)	N-TETRACOSANE	15.196	389709	2.097 ug/ml
11)	N-HEXACOSANE	16.222	263662	1.442 ug/ml
12)	N-OCTACOSANE	17.177	276362	1.500 ug/ml
13)	N-TRIACONTANE	18.069	379142	2.032 ug/ml
14)	N-DOTRIACONTANE	18.906	459479	2.527 ug/ml
15)	N-TETRATRIACONTANE	19.693	327266	1.892 ug/ml
16)	N-HEXATRIACONTANE	20.436	556583	3.370 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID E\Data\FE080618\
Data File : FE028486.D
Signal(s) : FID1B.CH
Acq On : 06 Aug 2018 18:01
Operator : AJ\SJ
Sample : J4283-01MSD 10X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Aug 07 08:41:07 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE073118.M
Quant Title :
QLast Update : Tue Jul 31 14:21:48 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.672 min
Delta R.T.: 0.000 min
Response: 200995
Conc: 1.09 ug/ml




#3 N-DODECANE

R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 253173
Conc: 1.28 ug/ml




#4 N-TETRADECANE

R.T.: 8.507 min
Delta R.T.: 0.000 min
Response: 273188
Conc: 1.33 ug/ml




#5 N-HEXADECANE

R.T.: 10.116 min
Delta R.T.: 0.000 min
Response: 280060
Conc: 1.35 ug/ml




#6 N-OCTADECANE

R.T.: 11.566 min
Delta R.T.: 0.000 min
Response: 284962
Conc: 1.40 ug/ml




#7 N-EICOSANE

R.T.: 12.882 min
Delta R.T.: 0.001 min
Response: 284372
Conc: 1.44 ug/ml




#8 N-DOCOSANE

R.T.: 14.087 min
Delta R.T.: 0.002 min
Response: 253320
Conc: 1.33 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.991 min
Delta R.T.: 0.002 min
Response: 206167
Conc: 1.27 ug/ml




#10 N-TETRACOSANE

R.T.: 15.196 min
Delta R.T.: 0.003 min
Response: 389709
Conc: 2.10 ug/ml




#11 N-HEXACOSANE

R.T.: 16.222 min
Delta R.T.: 0.003 min
Response: 263662
Conc: 1.44 ug/ml




#12 N-OCTACOSANE

R.T.: 17.177 min
Delta R.T.: 0.004 min
Response: 276362
Conc: 1.50 ug/ml




#13 N-TRIACONTANE

R.T.: 18.069 min
Delta R.T.: 0.005 min
Response: 379142
Conc: 2.03 ug/ml




#14 N-DOTRIACONTANE

R.T.: 18.906 min
Delta R.T.: 0.006 min
Response: 459479
Conc: 2.53 ug/ml



#15 N-TETRATRIACONTANE

R.T.: 19.693 min
Delta R.T.: 0.006 min
Response: 327266
Conc: 1.89 ug/ml



#16 N-HEXATRIACONTANE

R.T.: 20.436 min
Delta R.T.: 0.006 min
Response: 556583
Conc: 3.37 ug/ml