

rteres

Instrument :

FID_E

ClientSampleId :

PB162535BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/07/2024
Supervised By :Ankita Jodhani 08/07/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08062
Data File : FE049476.D
Signal(s) : FID1B.ch
Acq On : 06 Aug 2024 16:55
Sample : PB162535BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.295	3.221	3.421	BV	752506	7405222	48.55%	2.548%
2	4.541	4.468	4.558	BV	850747	8051628	52.79%	2.770%
3	4.577	4.558	4.678	VV	861948	8708457	57.09%	2.996%
4	6.241	6.168	6.471	BB	905732	9117336	59.77%	3.137%
5	6.702	6.618	6.828	BB	812201	8103779	53.13%	2.788%
6	7.337	7.311	7.458	BV	870130	8732326	57.25%	3.005%
7	8.531	8.364	8.601	BV	805857	8378315	54.93%	2.883%
8	8.639	8.601	8.804	VV	849680	8772562	57.51%	3.018%
9	8.939	8.904	9.144	VB	824601	8823814	57.85%	3.036%
10	9.727	9.658	9.853	BV	757429	8319406	54.54%	2.863%
11	10.136	10.101	10.264	BB	757118	8330269	54.61%	2.866%
12	11.133	11.028	11.177	BV	688974	7656450	50.20%	2.634%
13	11.209	11.177	11.355	VV	648965	7850383	51.47%	2.701%
14	11.578	11.541	11.708	BB	718044	8207699	53.81%	2.824%
15	11.896	11.811	12.004	BV	652446	7261033	47.60%	2.498%
16	12.887	12.847	12.918	PV	686374	8155398	53.47%	2.806%
17	12.954	12.918	13.114	VV	624782	7679293	50.35%	2.642%
18	13.253	13.208	13.290	BV	645131	7601846	49.84%	2.616%
19	13.331	13.290	13.458	VV	462063	5693409	37.33%	1.959%
20	13.498	13.458	13.604	VB	651554	7891835	51.74%	2.715%
21	14.083	13.971	14.188	BB	611515	7798198	51.12%	2.683%
22	15.132	15.048	15.152	BV	472189	6278327	41.16%	2.160%
23	15.180	15.152	15.528	VV	904026	15253337	100.00%	5.248%
24	16.206	16.094	16.291	BB	579302	7730555	50.68%	2.660%
25	16.692	16.568	16.708	BV	422949	6507277	42.66%	2.239%
26	16.726	16.708	16.918	VV	542874	7656247	50.19%	2.634%
27	17.072	16.991	17.117	VV	413614	5880887	38.55%	2.024%
28	17.153	17.117	17.384	VB	570058	8332374	54.63%	2.867%
29	18.041	17.964	18.141	PB	564234	7813560	51.23%	2.689%
30	18.444	18.401	18.460	BV	290799	4218358	27.66%	1.451%
31	18.478	18.460	18.658	VV	278479	5586154	36.62%	1.922%
32	18.702	18.658	18.801	VBA	293695	4991496	32.72%	1.717%
33	18.872	18.801	18.924	BV	543780	7836452	51.38%	2.696%
34	19.655	19.601	19.748	BB	550321	8211596	53.83%	2.825%
35	20.395	20.351	20.494	BV	584454	8435867	55.31%	2.903%
36	21.124	21.051	21.209	BBA	514917	8791335	57.64%	3.025%

37 22.022 21.961 22.178 BV 362791 8564114 56.15% 2.947%
rteres
Sum of corrected areas: 2906

Aliphatic EPH 071724.M Wed Aug 07 03:08:24 2024

Instrument :

FID_E

ClientSampleId :

PB162535BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/07/2024

Supervised By :Ankita Jodhani 08/07/2024