

rteres

Instrument :

FID_E

ClientSampleId :

PB162551BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/08/2024
Supervised By :Ankita Jodhani 08/08/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08072
Data File : FE049491.D
Signal(s) : FID1B.ch
Acq On : 07 Aug 2024 14:51
Sample : PB162551BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.290	3.231	3.485	BV	641476	6308818	43.33%	2.354%
2	4.537	4.455	4.554	BV	727945	6784582	46.60%	2.531%
3	4.574	4.554	4.678	VV	762302	7614727	52.30%	2.841%
4	6.240	6.168	6.475	BB	780057	7909754	54.32%	2.951%
5	6.700	6.615	6.818	BB	689519	6946723	47.71%	2.592%
6	7.335	7.311	7.511	BV	736794	7595067	52.16%	2.834%
7	8.528	8.425	8.598	BV	720551	7436339	51.07%	2.774%
8	8.636	8.598	8.808	VV	763499	7984572	54.84%	2.979%
9	8.935	8.905	9.148	VB	776674	8068776	55.41%	3.010%
10	9.723	9.605	9.885	BV	686279	7745977	53.20%	2.890%
11	10.133	10.095	10.258	PB	714325	7602491	52.21%	2.836%
12	11.130	11.051	11.178	BV	641740	7316365	50.25%	2.730%
13	11.206	11.178	11.355	VV	620654	7551336	51.86%	2.817%
14	11.576	11.535	11.711	VB	668467	7658041	52.59%	2.857%
15	11.893	11.781	12.011	BB	552195	6380280	43.82%	2.380%
16	12.884	12.755	12.916	BV	646752	7671335	52.69%	2.862%
17	12.950	12.916	13.108	VV	603186	7363823	50.57%	2.747%
18	13.250	13.205	13.288	VV	644500	7278045	49.98%	2.715%
19	13.327	13.288	13.458	VV	410493	5067982	34.81%	1.891%
20	13.495	13.458	13.615	VB	598921	7466718	51.28%	2.786%
21	14.081	13.968	14.185	BB	607198	7399072	50.82%	2.761%
22	15.128	14.845	15.149	BV	454476	5936996	40.77%	2.215%
23	15.177	15.149	15.525	VV	855605	14560700	100.00%	5.432%
24	16.203	15.951	16.308	BB	560324	7375230	50.65%	2.752%
25	16.688	16.551	16.704	BV	448442	6170247	42.38%	2.302%
26	16.720	16.704	16.921	VV	499388	6935104	47.63%	2.587%
27	17.067	17.001	17.115	BV	378107	5441015	37.37%	2.030%
28	17.150	17.115	17.391	VB	552941	7875459	54.09%	2.938%
29	18.037	17.958	18.151	PB	547489	7495548	51.48%	2.797%
30	18.441	18.401	18.457	BV	257210	3906343	26.83%	1.457%
31	18.474	18.457	18.651	VV	251848	5343306	36.70%	1.994%
32	18.696	18.651	18.801	VBA	267694	4724323	32.45%	1.763%
33	18.868	18.801	19.098	BB	542043	7312458	50.22%	2.728%
34	19.652	19.601	19.788	BB	533061	7818658	53.70%	2.917%
35	20.390	20.351	20.491	BV	546127	7878577	54.11%	2.939%
36	21.120	21.051	21.210	BBA	472787	8225714	56.49%	3.069%

37 22.016 21.961 22.138 BB 326370 7880679 54.12% 2.940%
rteres
Sum of corrected areas: 2680

Aliphatic EPH 071724.M Thu Aug 08 01:44:03 2024

Instrument :

FID_E

ClientSampleId :

PB162551BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/08/2024
Supervised By :Ankita Jodhani 08/08/2024