

rteres

Instrument :

FID_E

ClientSampleId :

PB162575BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/09/2024
Supervised By :Ankita Jodhani 08/09/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08082
Data File : FE049516.D
Signal(s) : FID1B.ch
Acq On : 08 Aug 2024 14:08
Sample : PB162575BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 071724.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.616	2.588	2.697	BV	169365	1588491	9.87%	0.509%
2	2.724	2.697	2.974	PV	101423	1543387	9.59%	0.495%
3	2.994	2.974	3.051	PB	4566	45193	0.28%	0.014%
4	3.292	3.231	3.521	BB	739869	7362656	45.73%	2.360%
5	4.538	4.464	4.555	BV	833301	7927273	49.23%	2.541%
6	4.574	4.555	4.677	VV	864147	8686396	53.95%	2.784%
7	6.239	6.168	6.471	BB	898300	9175376	56.99%	2.941%
8	6.699	6.631	6.824	BB	814495	8165734	50.72%	2.617%
9	7.237	7.217	7.301	VBA	4905	49691	0.31%	0.016%
10	7.334	7.301	7.456	BV	886620	9105492	56.55%	2.918%
11	7.958	7.878	8.188	BB	591907	6166816	38.30%	1.976%
12	8.528	8.381	8.598	BV	814070	8669217	53.84%	2.778%
13	8.636	8.598	8.804	VV	859440	9154116	56.85%	2.934%
14	8.836	8.804	8.904	VV	352837	3897942	24.21%	1.249%
15	8.936	8.904	9.141	VB	871818	9214914	57.23%	2.953%
16	9.724	9.654	9.849	BV	781417	8719549	54.16%	2.794%
17	9.908	9.885	9.924	VV	7220	86714	0.54%	0.028%
18	9.936	9.924	10.008	VB	4473	67706	0.42%	0.022%
19	10.133	10.093	10.251	PB	813187	8716866	54.14%	2.794%
20	10.934	10.908	11.028	BB	4861	81611	0.51%	0.026%
21	11.130	11.031	11.174	BV	720761	8110392	50.37%	2.599%
22	11.206	11.174	11.352	VV	668088	8391324	52.12%	2.689%
23	11.374	11.352	11.416	VV	6250	127252	0.79%	0.041%
24	11.575	11.538	11.708	VB	748203	8667714	53.83%	2.778%
25	11.892	11.808	12.004	BV	579554	6309352	39.19%	2.022%
26	12.884	12.844	12.915	PV	738295	8609413	53.47%	2.759%
27	12.951	12.915	13.107	VV	654817	8110574	50.37%	2.599%
28	13.132	13.107	13.208	VB	7872	112232	0.70%	0.036%
29	13.249	13.208	13.286	BV	665622	8025371	49.84%	2.572%
30	13.326	13.286	13.454	VV	407148	5037416	31.29%	1.614%
31	13.494	13.454	13.651	VB	672740	8377897	52.03%	2.685%
32	14.080	13.968	14.184	BV	674450	8250623	51.24%	2.644%
33	15.128	15.048	15.148	BV	496207	6516678	40.47%	2.088%
34	15.176	15.148	15.514	VV	981895	16100997	100.00%	5.160%
35	16.204	16.114	16.314	BB	641313	8194458	50.89%	2.626%
36	16.688	16.574	16.703	BV	457677	6670953	41.43%	2.138%

rterres									
37	16.721	16.703	16.918	VV	549544	8000735	49.69%	2.564%	
38	17.068	17.008	17.113	VV	427588	5943473	36.00%	1.796%	
39	17.150	17.113	17.411	VB	586165	8905367	55.00%	2.684%	
40	17.923	17.821	17.964	BV	5929	88379	0.00%	0.024%	
41	18.039	17.964	18.158	PB	590783	8332814	51.00%	2.711%	
42	18.440	18.401	18.456	BV	274193	4024016	24.00%	0.015%	
43	18.473	18.456	18.657	VV	266366	5604931	34.81%	1.796%	
44	18.696	18.657	18.801	VBA	295622	4914487	30.52%	1.575%	
45	18.868	18.801	19.088	BV	583023	8131103	50.50%	2.606%	
46	19.651	19.601	19.778	BV	591333	8459916	52.54%	2.711%	
47	20.019	19.778	20.044	PV	1607	45967	0.29%	0.015%	
48	20.288	20.044	20.310	PV	1238	-19610	-0.12%	-0.006%	
49	20.390	20.351	20.491	BB	559768	8375886	52.02%	2.684%	
50	20.524	20.491	20.561	BV	5028	75507	0.47%	0.024%	
51	20.739	20.637	20.774	VV	2098	63850	0.40%	0.020%	
52	20.974	20.774	21.051	VBA	839	100026	0.62%	0.032%	
53	21.118	21.051	21.209	BBA	517342	8702071	54.05%	2.789%	
54	22.014	21.961	22.154	BV	346175	8240875	51.18%	2.641%	
Sum of corrected areas:					312027577				

Instrument :
FID_E
ClientSampleId :
PB162575BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/09/2024
Supervised By :Ankita Jodhani 08/09/2024

Aliphatic EPH 071724.M Thu Aug 08 17:09:18 2024