

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE081118\
 Data File : FE028522.D
 Signal(s) : FID1B.CH
 Acq On : 11 Aug 2018 21:01
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Aug 13 03:27:32 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE071918.M
 Quant Title :
 QLast Update : Fri Jul 20 01:13:49 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.986	8516126	49.985 ug/ml
Target Compounds			
1) N-OCTANE	2.572	32075154	360.970 ug/ml
2) N-NONANE	3.606	34546548	370.812 ug/ml
3) N-DECANE	4.693	55332438	377.640 ug/ml
4) N-UNDECANE	5.737	57940079	568.307 ug/ml
5) N-DODECANE	6.727	59504877	563.079 ug/ml
6) N-TETRADECANE	8.536	62089856	535.968 ug/ml
7) N-HEXADECANE	10.143	51758892	414.070 ug/ml
8) N-OCTADECANE	11.577	25278760	191.090 ug/ml
9) N-EICOSANE	12.880	9801115	71.949 ug/ml
10) N-TETRACOSANE	15.193	9424042	70.557 ug/ml
11) N-OCTACOSANE	17.165	4741799	38.922 ug/ml
12) N-DOTRIACONTANE	18.892	4923225	43.052 ug/ml
14) N-HEXATRIACONTANE	20.422	4793142	43.581 ug/ml
15) N-TETRACONTANE	22.256	4953601	45.703 ug/ml
16) N-TETRTETRACOOCTANE	25.420	4756499	45.470 ug/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE081118\
Data File : FE028522.D
Signal(s) : FID1B.CH
Acq On : 11 Aug 2018 21:01
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Aug 13 03:27:32 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE071918.M
Quant Title :
QLast Update : Fri Jul 20 01:13:49 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

