

rteres

Instrument :

FID_E

ClientSampleId :

PB162718BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08142

Data File : FE049596.D

Signal(s) : FID1B.ch

Acq On : 14 Aug 2024 14:59

Sample : PB162718BSD

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 08/15/2024

Supervised By :Ankita Jodhani 08/15/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.287	3.241	3.340	BBA	617090	6067447	51.02%	2.685%
2	4.533	4.465	4.551	BV	673315	6476542	54.46%	2.866%
3	4.570	4.551	4.671	VV	654966	6521252	54.84%	2.886%
4	6.235	6.165	6.455	BB	659058	6693198	56.28%	2.962%
5	6.697	6.625	6.825	BV	678519	6724993	56.55%	2.976%
6	7.331	7.291	7.458	PV	628986	6417688	53.97%	2.840%
7	8.525	8.375	8.598	BB	646256	6676944	56.15%	2.954%
8	8.633	8.605	8.801	BV	610303	6396151	53.78%	2.830%
9	8.932	8.900	9.135	VB	620274	6467034	54.38%	2.862%
10	9.720	9.665	9.851	BV	553123	6070008	51.04%	2.686%
11	10.129	10.091	10.261	PB	597820	6562996	55.19%	2.904%
12	11.125	11.025	11.175	BV	495784	5656716	47.57%	2.503%
13	11.201	11.175	11.351	VV	479807	5772913	48.54%	2.554%
14	11.572	11.531	11.708	PB	568165	6617050	55.64%	2.928%
15	11.890	11.788	12.008	BB	670376	7169471	60.29%	3.172%
16	12.880	12.755	12.912	BV	558241	6587580	55.39%	2.915%
17	12.946	12.912	13.101	VV	470463	5680589	47.77%	2.514%
18	13.244	13.191	13.285	VV	472116	5594118	47.04%	2.475%
19	13.324	13.285	13.455	VV	432741	5547950	46.65%	2.455%
20	13.491	13.455	13.601	VB	532771	6400725	53.82%	2.832%
21	14.076	13.961	14.178	BB	513198	6324273	53.18%	2.798%
22	15.123	15.005	15.143	BV	359775	4543773	38.21%	2.011%
23	15.172	15.143	15.521	VV	673695	11892296	100.00%	5.262%
24	16.198	16.071	16.305	BB	476266	6217958	52.29%	2.751%
25	16.682	16.545	16.698	BV	333052	4619248	38.84%	2.044%
26	16.714	16.698	16.991	VV	375256	5863203	49.30%	2.594%
27	17.064	16.991	17.111	VV	283856	4268688	35.89%	1.889%
28	17.146	17.111	17.378	VB	469799	6750590	56.76%	2.987%
29	18.033	17.961	18.135	PB	471259	6344151	53.35%	2.807%
30	18.437	18.231	18.454	BV	181583	2363827	19.88%	1.046%
31	18.471	18.454	18.646	VV	170850	3826703	32.18%	1.693%
32	18.691	18.646	18.801	PBA	184035	3345330	28.13%	1.480%
33	18.863	18.801	19.008	BB	448721	6253222	52.58%	2.767%
34	19.646	19.581	19.765	BV	475811	6709058	56.42%	2.969%
35	20.386	20.341	20.430	BBA	438511	6695264	56.30%	2.963%
36	21.114	21.051	21.170	BBA	415851	6965605	58.57%	3.082%

37 22.011 21.951 22.100 BBA 290696 6907899 58.09% 3.057%
rteres
Sum of corrected areas: 2259

Aliphatic EPH 081424.M Thu Aug 15 03:09:18 2024

Instrument :

FID_E

ClientSampleId :

PB162718BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/15/2024

Supervised By :Ankita Jodhani 08/15/2024