

rteres

Instrument :

FID_E

ClientSampleId :

S2MS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08152
Data File : FE037060.D
Signal(s) : FID1B.ch
Acq On : 15 Aug 2022 16:14
Sample : N4200-16MS
Misc :
ALS Vial : 15 Sample Multiplier: 1

Reviewed By :Yogesh Patel 08/16/2022
Supervised By :Ankita Jodhani 08/16/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081222.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.216	3.185	3.258	BB	411058	4127756	58.45%	1.808%
2	4.469	4.434	4.485	BV	484627	4676360	66.22%	2.048%
3	4.501	4.485	4.549	VB	506913	5092015	72.11%	2.230%
4	6.167	6.138	6.231	BB	562844	5574800	78.94%	2.441%
5	6.635	6.601	6.680	BB	520288	5235608	74.14%	2.293%
6	7.263	7.226	7.323	BB	565480	5686444	80.52%	2.490%
7	7.890	7.856	7.948	BB	627188	6411494	90.79%	2.808%
8	8.463	8.420	8.506	BB	539585	5762490	81.60%	2.524%
9	8.563	8.531	8.621	BB	568599	5825647	82.50%	2.551%
10	8.765	8.733	8.829	BB	409312	4385172	62.10%	1.920%
11	8.863	8.829	8.918	BB	598669	6255111	88.58%	2.739%
12	9.652	9.611	9.729	BB	593367	6444935	91.27%	2.822%
13	10.067	10.028	10.111	BB	554660	6185046	87.59%	2.709%
14	11.056	10.998	11.102	BV	576956	6569601	93.03%	2.877%
15	11.132	11.102	11.204	VB	556485	6468322	91.60%	2.833%
16	11.510	11.463	11.556	BB	552582	6485832	91.84%	2.840%
17	11.821	11.786	11.866	BB	548005	6093095	86.28%	2.668%
18	12.425	12.391	12.466	BB	50138	588852	8.34%	0.258%
19	12.817	12.771	12.844	BV	545320	6348034	89.89%	2.780%
20	12.875	12.844	12.931	VB	566738	6424722	90.98%	2.814%
21	13.173	13.130	13.212	BV	550077	6518283	92.30%	2.855%
22	13.259	13.212	13.309	VB	388881	4846183	68.63%	2.122%
23	13.428	13.381	13.473	BB	515952	6319996	89.50%	2.768%
24	14.013	13.967	14.062	BB	498181	6260825	88.66%	2.742%
25	14.446	14.406	14.484	BB	19640	260150	3.68%	0.114%
26	15.052	15.011	15.071	BV	449650	5909963	83.69%	2.588%
27	15.097	15.071	15.107	VV	547002	7061726	100.00%	3.092%
28	15.114	15.107	15.173	VB	478409	5169038	73.20%	2.264%
29	15.525	15.474	15.596	BB	16042	457977	6.49%	0.201%
30	16.136	16.087	16.178	BB	445287	6056927	85.77%	2.652%
31	16.612	16.554	16.627	BV	391051	5708108	80.83%	2.500%
32	16.645	16.627	16.716	VB	467574	5787620	81.96%	2.535%
33	16.991	16.942	17.046	BV	354116	5061443	71.67%	2.217%
34	17.084	17.046	17.135	VB	414511	5810956	82.29%	2.545%
35	17.972	17.922	18.022	BB	406322	5608650	79.42%	2.456%
36	18.368	18.308	18.383	BV	369944	5364260	75.96%	2.349%

FID_E

ClientSampleId :

S2MS

rteres

37	18.403	18.383	18.476	VB	376774	5442535	77.07%	2.383%
38	18.624	18.567	18.709	BB	337932	5137130	72.00%	2.383%
39	18.803	18.746	18.852	BB	368759	5412415	76.00%	2.383%
40	19.587	19.536	19.624	BB	352819	5138913	72.00%	2.383%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/16/2022
Supervised By :Ankita Jodhani 08/16/2022

41	20.327	20.269	20.381	BB	326175	4930133	69.87%	2.068%	Supervised By :An
42	21.047	20.986	21.110	BB	253417	4723253	66.87%	2.068%	
43	21.922	21.840	22.017	BB	200342	4722255	66.87%	2.068%	

Sum of corrected areas: 228350074

Aliphatic EPH 081222.M Tue Aug 16 08:52:17 2022