

rteres

Instrument :

FID_E

ClientSampleId :

S2MSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08152

Data File : FE037061.D

Signal(s) : FID1B.ch

Acq On : 15 Aug 2022 16:45

Sample : N4200-16MSD

Misc :

ALS Vial : 16 Sample Multiplier: 1

Reviewed By :Yogesh Patel 08/16/2022

Supervised By :Ankita Jodhani 08/16/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081222.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.216	3.182	3.261	BB	404920	4087289	60.13%	1.810%
2	4.469	4.437	4.485	BV	469459	4626790	68.07%	2.048%
3	4.502	4.485	4.549	VB	509270	5031256	74.02%	2.227%
4	6.167	6.136	6.228	BB	561845	5494689	80.83%	2.433%
5	6.634	6.602	6.681	BB	511299	5182000	76.23%	2.294%
6	7.263	7.222	7.323	BB	554561	5608047	82.50%	2.483%
7	7.890	7.857	7.949	BB	623093	6373614	93.76%	2.822%
8	8.462	8.422	8.504	BB	532258	5706631	83.95%	2.526%
9	8.563	8.528	8.621	BB	559183	5746664	84.54%	2.544%
10	8.764	8.729	8.828	BB	405342	4339510	63.84%	1.921%
11	8.862	8.829	8.917	BB	604042	6166608	90.72%	2.730%
12	9.651	9.598	9.730	BB	581018	6383675	93.91%	2.826%
13	10.067	10.023	10.113	BB	546391	6122785	90.07%	2.711%
14	11.056	11.000	11.101	BV	585420	6473226	95.23%	2.866%
15	11.132	11.101	11.202	VB	557569	6372260	93.74%	2.821%
16	11.509	11.466	11.557	BB	553567	6423115	94.49%	2.844%
17	11.820	11.786	11.865	BB	534240	6004385	88.33%	2.658%
18	12.424	12.394	12.470	BB	55137	674221	9.92%	0.298%
19	12.816	12.769	12.844	BV	522229	6278291	92.36%	2.780%
20	12.875	12.844	12.932	VB	535669	6332801	93.16%	2.804%
21	13.172	13.128	13.210	BV	553992	6399388	94.14%	2.833%
22	13.258	13.210	13.309	VB	392342	4782525	70.36%	2.117%
23	13.427	13.387	13.472	BB	498531	6254178	92.01%	2.769%
24	13.653	13.628	13.691	BB	18944	236842	3.48%	0.105%
25	14.014	13.962	14.062	BB	506346	6173852	90.83%	2.733%
26	14.446	14.412	14.487	BB	18689	257214	3.78%	0.114%
27	15.051	15.011	15.071	BV	438986	5794104	85.24%	2.565%
28	15.096	15.071	15.106	VV	549750	6797476	100.00%	3.009%
29	15.114	15.106	15.177	VB	475542	5247664	77.20%	2.323%
30	15.523	15.475	15.593	BB	15315	436893	6.43%	0.193%
31	16.135	16.094	16.177	BB	441895	5959667	87.67%	2.639%
32	16.612	16.502	16.627	BV	385842	5677115	83.52%	2.513%
33	16.645	16.627	16.730	VB	460732	5742645	84.48%	2.542%
34	16.991	16.925	17.049	BV	345323	4950607	72.83%	2.192%
35	17.083	17.049	17.135	VV	392565	5694196	83.77%	2.521%
36	17.972	17.902	18.027	BB	382992	5513599	81.11%	2.441%

	Area	Height	Area%	Height%	Integration	Integration	Integration	Integration
37	18.369	18.305	18.383	BV	356229	5302001	78.00%	2.347%
38	18.401	18.383	18.505	VB	379009	5487965	80.00%	2.347%
39	18.624	18.565	18.737	BB	327836	5135474	79.00%	2.347%
40	18.803	18.737	18.865	BB	372686	5294407	77.00%	2.347%
41	19.585	19.525	19.627	BV	352936	5034727	74.00%	2.074%
42	20.325	20.265	20.394	BB	324558	4883826	71.00%	2.074%
43	21.046	20.977	21.114	BB	271512	4684006	68.91%	2.074%
44	21.917	21.842	22.014	BB	202399	4703401	69.19%	2.082%
Sum of corrected areas:					225871627			

Instrument :
FID_E
ClientSampleId :
S2MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/16/2022
Supervised By :Ankita Jodhani 08/16/2022

Aliphatic EPH 081222.M Tue Aug 16 08:52:37 2022