

rteres

Instrument :

FID_E

ClientSampleId :

PB162783BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/19/2024
Supervised By :Ankita Jodhani 08/19/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08162
Data File : FE049644.D
Signal(s) : FID1B.ch
Acq On : 16 Aug 2024 15:20
Sample : PB162783BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.287	3.241	3.340	BBA	615183	6013187	53.40%	2.725%
2	4.534	4.501	4.552	BV	668714	6326656	56.19%	2.867%
3	4.571	4.552	4.675	VV	638677	6363150	56.51%	2.883%
4	6.238	6.161	6.390	BV	651417	6436037	57.16%	2.916%
5	6.698	6.651	6.800	BBA	648493	6520814	57.91%	2.955%
6	7.333	7.291	7.454	PV	622196	6231308	55.34%	2.824%
7	8.526	8.471	8.580	BBA	616085	6505817	57.78%	2.948%
8	8.635	8.581	8.798	BV	616726	6212275	55.17%	2.815%
9	8.934	8.903	9.135	VB	600161	6285087	55.82%	2.848%
10	9.723	9.675	9.855	BV	534070	5902578	52.42%	2.675%
11	10.131	10.091	10.201	PBA	576102	6372146	56.59%	2.887%
12	11.129	11.081	11.175	BV	487288	5510569	48.94%	2.497%
13	11.205	11.175	11.355	VV	464533	5623016	49.94%	2.548%
14	11.574	11.534	11.641	PBA	551355	6428407	57.09%	2.913%
15	11.892	11.851	12.005	BV	626612	6791069	60.31%	3.077%
16	12.883	12.831	12.917	BV	548582	6424461	57.06%	2.911%
17	12.950	12.917	13.108	VV	452740	5538736	49.19%	2.510%
18	13.249	13.211	13.288	BV	455890	5468846	48.57%	2.478%
19	13.327	13.288	13.455	VV	424144	5267029	46.78%	2.387%
20	13.493	13.455	13.591	VB	520534	6250504	55.51%	2.832%
21	14.078	14.011	14.178	BB	510538	6175573	54.85%	2.798%
22	15.128	15.048	15.148	BV	366167	4485731	39.84%	2.033%
23	15.176	15.148	15.336	VV	705142	11259843	100.00%	5.102%
24	16.202	16.141	16.250	BBA	483081	6072866	53.93%	2.752%
25	16.689	16.468	16.704	BV	329392	4623204	41.06%	2.095%
26	16.721	16.704	17.001	VV	396603	5651662	50.19%	2.561%
27	17.069	17.001	17.114	VV	286649	4247849	37.73%	1.925%
28	17.150	17.114	17.318	VB	444789	6468877	57.45%	2.931%
29	18.036	17.956	18.108	PB	450966	6197702	55.04%	2.808%
30	18.442	18.118	18.459	BV	191810	2260911	20.08%	1.024%
31	18.478	18.459	18.660	VV	183784	4013385	35.64%	1.819%
32	18.698	18.660	18.801	PBA	199077	3466697	30.79%	1.571%
33	18.869	18.801	19.001	BV	425945	6197293	55.04%	2.808%
34	19.652	19.581	19.715	BV	449845	6596857	58.59%	2.989%
35	20.391	20.341	20.430	BBA	464440	6717176	59.66%	3.044%
36	21.120	21.051	21.170	BBA	390379	6962674	61.84%	3.155%

37 22.019 21.951 22.100 BBA 289410 6817695 60.55% 3.089%
rteres
Sum of corrected areas: 2206

Aliphatic EPH 081424.M Sat Aug 17 00:28:34 2024

Instrument :

FID_E

ClientSampleId :

PB162783BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/19/2024

Supervised By :Ankita Jodhani 08/19/2024