

rteres

Instrument :

FID_E

ClientSampleId :

PB162783BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/19/2024
Supervised By :Ankita Jodhani 08/19/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08162
Data File : FE049645.D
Signal(s) : FID1B.ch
Acq On : 16 Aug 2024 15:51
Sample : PB162783BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.287	3.241	3.339	BBA	626073	6058750	53.72%	2.730%
2	4.534	4.501	4.552	BV	681080	6386788	56.63%	2.877%
3	4.570	4.552	4.673	VV	636499	6421251	56.93%	2.893%
4	6.237	6.154	6.448	BB	649670	6537084	57.96%	2.945%
5	6.697	6.651	6.799	BBA	660586	6559844	58.16%	2.955%
6	7.333	7.294	7.456	PV	612161	6269952	55.59%	2.825%
7	8.526	8.471	8.579	BBA	626296	6539035	57.98%	2.946%
8	8.634	8.581	8.803	BV	605890	6230996	55.25%	2.807%
9	8.933	8.902	9.131	VB	598725	6300097	55.86%	2.838%
10	9.722	9.674	9.852	BV	532075	5923394	52.52%	2.669%
11	10.131	10.094	10.201	PBA	596304	6399603	56.74%	2.883%
12	11.129	11.081	11.174	BV	482860	5524879	48.99%	2.489%
13	11.204	11.174	11.351	VV	470257	5640852	50.01%	2.541%
14	11.573	11.534	11.641	PBA	565401	6445679	57.15%	2.904%
15	11.892	11.851	12.008	BV	611197	6789941	60.20%	3.059%
16	12.882	12.831	12.915	BV	543021	6426356	56.98%	2.895%
17	12.949	12.915	13.111	VV	449060	5555138	49.25%	2.503%
18	13.248	13.208	13.287	BV	476606	5483819	48.62%	2.471%
19	13.326	13.287	13.454	VV	421425	5269385	46.72%	2.374%
20	13.493	13.454	13.614	VB	525391	6257458	55.48%	2.819%
21	14.078	14.011	14.174	BB	503730	6165898	54.67%	2.778%
22	15.127	15.038	15.147	BV	359918	4531336	40.18%	2.041%
23	15.175	15.147	15.328	VV	714185	11278502	100.00%	5.081%
24	16.201	16.141	16.249	BBA	476884	6065283	53.78%	2.733%
25	16.688	16.568	16.703	BV	343120	4736481	42.00%	2.134%
26	16.720	16.703	16.998	VV	392643	5747952	50.96%	2.590%
27	17.069	16.998	17.114	VV	302433	4333303	38.42%	1.952%
28	17.149	17.114	17.338	VB	463409	6513147	57.75%	2.934%
29	18.037	17.951	18.108	PB	451213	6215680	55.11%	2.800%
30	18.443	18.121	18.459	BV	198634	2372643	21.04%	1.069%
31	18.476	18.459	18.660	VV	198466	4157396	36.86%	1.873%
32	18.698	18.660	18.801	PBA	209264	3579602	31.74%	1.613%
33	18.867	18.801	18.998	BB	436833	6158739	54.61%	2.775%
34	19.651	19.581	19.711	BV	447352	6617329	58.67%	2.981%
35	20.390	20.341	20.429	BBA	456488	6691334	59.33%	3.015%
36	21.120	21.051	21.169	BBA	414166	6936995	61.51%	3.125%

37 22.017 21.951 22.099 BBA 291815 6845269 60.69% 3.084%
rteres
Sum of corrected areas: 2219

Aliphatic EPH 081424.M Sat Aug 17 00:29:39 2024

Instrument :

FID_E

ClientSampleId :

PB162783BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/19/2024

Supervised By :Ankita Jodhani 08/19/2024