

Data Path : Z:\bestpcbsrv\HPCHEM1\FID E\Data\FE082018\
 Data File : FE028582.D
 Signal(s) : FID1B.CH
 Acq On : 20 Aug 2018 15:04
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Aug 20 15:37:38 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE071918.M
 Quant Title :
 QLast Update : Fri Jul 20 01:13:49 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

	Compound	R.T.	Response	Conc Units

System Monitoring Compounds				
13) S	TETRACOSANE-d50 (SURR...	14.978	6828338	40.079 ug/ml
Target Compounds				
1)	N-OCTANE	2.574	39148315	440.570 ug/ml
2)	N-NONANE	3.606	41956686	450.350 ug/ml
3)	N-DECANE	4.692	66832813	456.129 ug/ml
4)	N-UNDECANE	5.736	69592485	682.600 ug/ml
5)	N-DODECANE	6.726	70963398	671.508 ug/ml
6)	N-TETRADECANE	8.535	72895021	629.239 ug/ml
7)	N-HEXADECANE	10.141	60023293	480.184 ug/ml
8)	N-OCTADECANE	11.575	29084066	219.855 ug/ml
9)	N-EICOSANE	12.876	11235033	82.475 ug/ml
10)	N-TETRACOSANE	15.189	10777065	80.687 ug/ml
11)	N-OCTACOSANE	17.161	5330399	43.753 ug/ml
12)	N-DOTRIACONTANE	18.888	5377209	47.022 ug/ml
14)	N-HEXATRIACONTANE	20.417	5487516	49.895 ug/ml
15)	N-TETRACONTANE	22.249	4958524	45.748 ug/ml
16)	N-TETRTETRACOOCTANE	25.390	3611412	34.524 ug/mlm

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID E\Data\FE082018\
Data File : FE028582.D
Signal(s) : FID1B.CH
Acq On : 20 Aug 2018 15:04
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Aug 20 15:37:38 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE071918.M
Quant Title :
QLast Update : Fri Jul 20 01:13:49 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

