

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE082019\
Data File : FE030265.D
Signal(s) : FID1B.CH
Acq On : 20 Aug 2019 13:30
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE080919.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.344	2.281	2.469	PV	5222669	68621177	60.53%	8.416%
2	3.316	3.260	3.395	PV	4645247	72365167	63.84%	8.875%
3	4.376	4.301	4.570	BB	5456478	112254472	99.03%	13.767%
4	5.407	5.318	5.585	BV	4877306	113254491	99.91%	13.889%
5	6.387	6.273	6.476	BV	4852497	112696903	99.42%	13.821%
6	8.185	8.086	8.336	BB	4688074	113358123	100.00%	13.902%
7	9.781	9.693	9.910	BB	3953505	93889409	82.83%	11.515%
8	11.203	11.103	11.315	BB	2519498	46277780	40.82%	5.675%
9	12.494	12.423	12.586	BB	1381950	18237590	16.09%	2.237%
10	14.584	14.544	14.607	VV	682608	9128876	8.05%	1.120%
11	14.799	14.650	14.856	VB	1275794	17485820	15.43%	2.144%
12	16.760	16.671	16.816	BV	683119	8390791	7.40%	1.029%
13	18.483	18.348	18.533	PB	647056	8102214	7.15%	0.994%
14	20.009	19.951	20.050	M	572461	7804875	6.89%	0.957%
15	21.598	21.528	21.708	BV	377597	7507997	6.62%	0.921%
16	24.195	24.053	24.393	PV	156977	6021766	5.31%	0.739%
Sum of corrected areas:						815397450		

C44-FE080919.M Tue Aug 20 16:00:15 2019