

rteres

Instrument :

FID_E

ClientSampleId :

PB169321BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/21/2025

Supervised By :mohammad ahmed 08/22/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08202
Data File : FE055407.D
Signal(s) : FID1B.ch
Acq On : 20 Aug 2025 13:03
Sample : PB169321BSD
Misc :
ALS Vial : 18 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 080125.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.434	3.377	3.509	BB	550583	5425671	38.97%	2.081%
2	4.686	4.634	4.706	BV	599919	5780652	41.52%	2.217%
3	4.727	4.706	4.779	VV	679565	6657476	47.81%	2.553%
4	6.401	6.339	6.490	BB	741014	7175230	51.53%	2.752%
5	6.856	6.797	6.929	BB	612739	6157371	44.22%	2.361%
6	7.502	7.449	7.587	BB	659066	6665357	47.87%	2.556%
7	8.694	8.635	8.760	BB	621202	6399053	45.96%	2.454%
8	8.813	8.764	8.909	BB	722601	7414044	53.25%	2.843%
9	9.114	9.057	9.207	BB	746795	7459500	53.57%	2.861%
10	9.907	9.840	9.985	BB	702755	7476964	53.70%	2.867%
11	10.309	10.245	10.385	BB	612693	6706824	48.17%	2.572%
12	11.323	11.247	11.365	BV	662598	7260147	52.14%	2.784%
13	11.399	11.365	11.509	VB	670901	7248111	52.05%	2.779%
14	11.759	11.709	11.814	BB	595625	6821957	48.99%	2.616%
15	12.086	12.017	12.142	BB	644166	6885059	49.45%	2.640%
16	13.075	13.015	13.112	BV	605898	7050893	50.64%	2.704%
17	13.155	13.112	13.232	VB	607355	7149750	51.35%	2.742%
18	13.457	13.387	13.487	BV	612805	7201113	51.72%	2.761%
19	13.522	13.487	13.577	VB	473435	5517277	39.62%	2.116%
20	13.689	13.622	13.757	BB	575719	6808906	48.90%	2.611%
21	14.277	14.215	14.339	BB	542998	6730451	48.34%	2.581%
22	15.344	15.272	15.362	BV	538012	7144861	51.31%	2.740%
23	15.387	15.362	15.469	VB	1111281	13924094	100.00%	5.340%
24	16.410	16.340	16.449	BB	489748	6561539	47.12%	2.516%
25	16.911	16.834	16.928	BV	489766	7870288	56.52%	3.018%
26	16.947	16.928	17.014	VB	660970	7824279	56.19%	3.000%
27	17.297	17.229	17.325	BV	612556	8031704	57.68%	3.080%
28	17.360	17.325	17.425	VB	508466	6557940	47.10%	2.515%
29	18.252	18.179	18.315	BB	481698	6631411	47.63%	2.543%
30	18.676	18.589	18.690	BV	555024	8766070	62.96%	3.362%
31	18.712	18.690	18.827	VB	603400	8408515	60.39%	3.224%
32	18.936	18.857	19.042	BV	535542	7887793	56.65%	3.025%
33	19.085	19.042	19.137	VB	466404	6604638	47.43%	2.533%
34	19.870	19.739	19.957	BB	442493	6388697	45.88%	2.450%
35	20.611	20.392	20.669	BB	404241	5758891	41.36%	2.208%
36	21.392	21.234	21.550	PB	279746	5594106	40.18%	2.145%

37 22.383 22.289 22.499 BBA 183912 4824145 34.65% 1.850%
rteres
Sum of corrected areas: 2607

Aliphatic EPH 080125.M Thu Aug 21 02:16:15 2025

Instrument :

FID_E

ClientSampleId :

PB169321BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/21/2025

Supervised By :mohammad ahmed 08/22/2025