

rteres

Instrument :

FID_E

ClientSampleId :

PB169342BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/22/2025

Supervised By :mohammad ahmed 08/25/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08212
Data File : FE055430.D
Signal(s) : FID1B.ch
Acq On : 21 Aug 2025 16:47
Sample : PB169342BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 080125.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.423	3.360	3.472	BB	419688	4073191	37.90%	1.950%
2	4.679	4.620	4.700	BV	444247	4246290	39.52%	2.033%
3	4.720	4.700	4.774	VV	497142	4818983	44.84%	2.307%
4	6.398	6.347	6.489	BB	544059	5313051	49.44%	2.543%
5	6.853	6.795	6.912	BB	462440	4598731	42.80%	2.201%
6	7.499	7.447	7.570	BB	517578	5075710	47.23%	2.430%
7	8.692	8.639	8.754	BB	464288	4916718	45.75%	2.353%
8	8.811	8.755	8.889	BB	580755	5721667	53.24%	2.739%
9	9.112	9.080	9.195	VB	575960	5770172	53.70%	2.762%
10	9.906	9.839	9.985	BB	565968	5829021	54.24%	2.790%
11	10.307	10.245	10.379	BB	487726	5204277	48.43%	2.491%
12	11.321	11.245	11.363	BV	526391	5635908	52.45%	2.698%
13	11.397	11.363	11.470	VBA	542144	5630917	52.40%	2.695%
14	11.757	11.709	11.814	BB	475197	5291933	49.25%	2.533%
15	12.085	12.017	12.135	BB	540975	5850738	54.45%	2.801%
16	13.073	13.012	13.114	BV	479197	5445640	50.68%	2.607%
17	13.152	13.114	13.230	PBA	489804	5512139	51.30%	2.638%
18	13.454	13.382	13.486	BV	483778	5552271	51.67%	2.658%
19	13.521	13.486	13.577	VB	394434	4647250	43.25%	2.224%
20	13.687	13.617	13.752	BB	447825	5252348	48.88%	2.514%
21	14.276	14.215	14.332	BB	421880	5183418	48.24%	2.481%
22	15.341	15.275	15.359	BV	447574	5553208	51.68%	2.658%
23	15.384	15.359	15.454	VB	903428	10745947	100.00%	5.144%
24	16.408	16.335	16.465	BB	373154	5047761	46.97%	2.416%
25	16.909	16.839	16.924	BV	411184	6123147	56.98%	2.931%
26	16.942	16.924	17.007	VB	525496	6102718	56.79%	2.921%
27	17.293	17.250	17.323	BV	493768	6288591	58.52%	3.010%
28	17.359	17.323	17.425	VB	369714	5049314	46.99%	2.417%
29	18.250	18.175	18.315	BB	366651	5141578	47.85%	2.461%
30	18.672	18.592	18.688	BV	432191	6758448	62.89%	3.235%
31	18.708	18.688	18.812	VB	507928	6755956	62.87%	3.234%
32	18.930	18.854	18.999	BBA	410183	5886983	54.78%	2.818%
33	19.083	19.012	19.145	BB	383539	5253907	48.89%	2.515%
34	19.869	19.800	19.962	BB	403717	5728304	53.31%	2.742%
35	20.611	20.570	20.670	BB	406129	5918358	55.08%	2.833%
36	21.393	21.330	21.469	BB	340471	6429468	59.83%	3.078%

37 22.385 22.300 22.482 BB 258250 6562981 61.07% 3.141%
rteres
Sum of corrected areas: 2089

Aliphatic EPH 080125.M Fri Aug 22 02:23:15 2025

Instrument :

FID_E

ClientSampleId :

PB169342BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/22/2025

Supervised By :mohammad ahmed 08/25/2025