

rteres

Instrument :

FID_E

ClientSampleId :

PB162915BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/23/2024
Supervised By :Ankita Jodhani 08/23/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08222
Data File : FE049704.D
Signal(s) : FID1B.ch
Acq On : 22 Aug 2024 16:22
Sample : PB162915BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.285	3.241	3.339	BBA	673388	6580485	53.57%	2.732%
2	4.531	4.501	4.549	BV	747172	6988372	56.89%	2.902%
3	4.568	4.549	4.668	VV	717365	7048199	57.38%	2.927%
4	6.234	6.164	6.441	BB	706186	7162089	58.31%	2.974%
5	6.694	6.651	6.799	BBA	722111	7193843	58.56%	2.987%
6	7.329	7.278	7.451	PV	666669	6878172	55.99%	2.856%
7	8.522	8.471	8.579	BBA	699526	7163509	58.32%	2.975%
8	8.631	8.581	8.798	BV	663677	6846165	55.73%	2.843%
9	8.930	8.901	9.148	VB	676711	6910582	56.26%	2.869%
10	9.718	9.671	9.847	BV	582122	6508284	52.98%	2.702%
11	10.127	10.088	10.201	PBA	628016	7017531	57.13%	2.914%
12	11.125	11.081	11.171	BV	518989	6006519	48.90%	2.494%
13	11.200	11.171	11.348	VV	508774	6142777	50.01%	2.551%
14	11.569	11.534	11.641	PBA	626980	7070571	57.56%	2.936%
15	11.888	11.851	12.004	BV	649767	7195061	58.57%	2.988%
16	12.878	12.831	12.911	BV	590306	7037212	57.29%	2.922%
17	12.945	12.911	13.108	VV	515644	6048983	49.24%	2.512%
18	13.244	13.211	13.284	BV	525993	5980437	48.69%	2.483%
19	13.321	13.284	13.418	VV	449535	5559398	45.26%	2.308%
20	13.488	13.450	13.598	VB	559936	6842170	55.70%	2.841%
21	14.074	14.011	14.168	BB	549143	6747430	54.93%	2.802%
22	15.123	15.038	15.143	BV	384251	4886179	39.78%	2.029%
23	15.171	15.143	15.331	VV	814509	12283613	100.00%	5.101%
24	16.196	16.141	16.249	BBA	510857	6633937	54.01%	2.755%
25	16.683	16.574	16.699	BV	371501	5093751	41.47%	2.115%
26	16.716	16.699	16.991	VV	414227	6318502	51.44%	2.624%
27	17.064	16.991	17.109	VV	319436	4614373	37.57%	1.916%
28	17.144	17.109	17.384	VB	507729	7239176	58.93%	3.006%
29	18.031	17.961	18.131	PB	485969	6792168	55.29%	2.820%
30	18.439	18.224	18.454	BV	189464	2422105	19.72%	1.006%
31	18.471	18.454	18.657	VV	183785	4056212	33.02%	1.684%
32	18.692	18.657	18.801	PBA	197765	3381564	27.53%	1.404%
33	18.861	18.801	19.054	BB	491261	6651599	54.15%	2.762%
34	19.644	19.581	19.711	BV	507291	7178183	58.44%	2.981%
35	20.384	20.341	20.429	BBA	500585	7332497	59.69%	3.045%
36	21.112	21.051	21.169	BBA	413070	7610423	61.96%	3.160%

37 22.008 21.951 22.099 BBA 315102 7407837 60.31% 3.076%
rteres
Sum of corrected areas: 2408

Aliphatic EPH 081424.M Fri Aug 23 01:57:03 2024

Instrument :

FID_E

ClientSampleId :

PB162915BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/23/2024
Supervised By :Ankita Jodhani 08/23/2024