

rteres

Instrument :

FID_E

ClientSampleId :

PB147249BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08242
 Data File : FE037234.D
 Signal(s) : FID1B.ch
 Acq On : 24 Aug 2022 21:33
 Sample : PB147249BSD
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Reviewed By :Yogesh Patel 08/25/2022
 Supervised By :Ankita Jodhani 08/25/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082322.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.087	3.043	3.190	BB	620290	6554884	49.60%	2.670%
2	4.333	4.292	4.357	BV	679434	6778153	51.29%	2.761%
3	4.377	4.357	4.503	VB	645352	7014160	53.08%	2.857%
4	6.043	6.009	6.249	BB	577390	6929998	52.44%	2.823%
5	6.496	6.450	6.578	BB	675552	7175112	54.30%	2.922%
6	7.134	7.106	7.331	PB	537993	6663178	50.42%	2.714%
7	8.315	8.265	8.392	BB	664922	7251623	54.88%	2.954%
8	8.430	8.392	8.593	BB	580680	6643907	50.28%	2.706%
9	8.725	8.682	8.867	BB	643637	7209291	54.56%	2.936%
10	9.514	9.476	9.678	BV	533519	6645256	50.29%	2.707%
11	9.914	9.864	9.981	BB	621671	7248944	54.86%	2.952%
12	10.916	10.866	10.969	BV	573261	6549178	49.56%	2.667%
13	10.993	10.969	11.132	VV	453647	6598174	49.93%	2.687%
14	11.351	11.299	11.414	BB	620603	7276629	55.07%	2.964%
15	11.677	11.628	11.773	BB	644945	7484568	56.64%	3.048%
16	12.655	12.566	12.702	BV	591289	7019630	53.12%	2.859%
17	12.731	12.702	12.888	PB	507892	6534911	49.45%	2.662%
18	13.028	12.982	13.067	BV	501429	6342691	48.00%	2.583%
19	13.097	13.067	13.191	VB	496471	6076317	45.98%	2.475%
20	13.263	13.208	13.317	BB	564748	6921913	52.38%	2.819%
21	13.846	13.763	13.895	BB	529456	6825042	51.65%	2.780%
22	14.907	14.864	14.923	BV	469168	5905939	44.69%	2.405%
23	14.946	14.923	15.134	VB	884515	13214354	100.00%	5.382%
24	15.961	15.904	16.008	BB	482623	6472326	48.98%	2.636%
25	16.466	16.398	16.481	BV	462239	5982904	45.28%	2.437%
26	16.497	16.481	16.637	VB	443267	6399934	48.43%	2.607%
27	16.846	16.753	16.876	BV	370159	4967335	37.59%	2.023%
28	16.904	16.876	16.953	VV	459309	6740564	51.01%	2.745%
29	17.790	17.740	17.828	BV	416026	6241489	47.23%	2.542%
30	18.224	18.150	18.238	BV	443392	5826815	44.09%	2.373%
31	18.254	18.238	18.417	VB	412306	6528007	49.40%	2.659%
32	18.478	18.429	18.550	BBA	411661	5918332	44.79%	2.410%
33	18.615	18.557	18.669	BB	422318	6177932	46.75%	2.516%
34	19.396	19.350	19.432	BV	412441	6139999	46.46%	2.501%
35	20.132	20.060	20.169	BV	351458	5559643	42.07%	2.264%
36	20.831	20.750	20.869	BV	312748	5039297	38.14%	2.052%

37 21.625 21.550 21.773 BV 211456 4667448 35.32% 1.901%
Sum of corrected areas: 2455

Aliphatic EPH 082322.M Thu Aug 25 11:10:41 2022

Instrument :

FID_E

ClientSampleId :

PB147249BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/25/2022
Supervised By :Ankita Jodhani 08/25/2022