

rters
Area Percent Report

Instrument :

FID_E

ClientSampleId :

PB162986BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 08/27/2024

Supervised By :Ankita Jodhani 08/27/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data

Data File : FE049757.D

Signal(s) : FID1B.ch

Acq On : 26 Aug 2024 14:11

Sample : PB162986BS

Misc :

ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH
081424.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.284	3.241	3.340	BBA	660529	6413097	44.63%	2.308%
2	4.531	4.501	4.549	BV	783098	7352182	51.16%	2.646%
3	4.568	4.549	4.670	VV	745621	7455470	51.88%	2.683%
4	6.234	6.178	6.451	BB	799958	8125777	56.55%	2.925%
5	6.694	6.651	6.800	BBA	815489	8205556	57.10%	2.953%
6	7.330	7.288	7.451	PV	786806	7934657	55.22%	2.856%
7	8.523	8.471	8.580	BBA	803078	8319194	57.89%	2.994%
8	8.632	8.581	8.800	BV	760261	7947604	55.31%	2.861%
9	8.932	8.900	9.138	VB	769820	8010544	55.75%	2.883%

Instrument :

FID_E

ClientSampleId :

PB162986BS

rteres

10 9.720 9.675 9.845 BV 696862 7618562

Manual IntegrationsAPPROVED

11 10.127 10.082 10.201 PBA 735882 818056

Reviewed By :Yogesh Patel 08/27/2024
Supervised By :Ankita Jodhani 08/27/2024

12 11.126 11.081 11.171 BV 635536 7047690 49.05% 2.537%

13 11.202 11.171 11.346 VV 597035 7179661 49.96% 2.584%

14 11.570 11.530 11.641 VBA 720331 8260354 57.48% 2.973%

15 11.888 11.851 12.005 BV 770064 8369036 58.24% 3.012%

16 12.878 12.831 12.912 BV 711016 8235646 57.31% 2.964%

17 12.947 12.912 13.108 VV 595039 7096514 49.39% 2.554%

18 13.247 13.205 13.284 VV 616226 7027233 48.90% 2.529%

19 13.322 13.284 13.448 VV 530115 6493366 45.19% 2.337%

20 13.489 13.448 13.621 VB 658733 8015318 55.78% 2.885%

21 14.075 14.011 14.171 BB 644194 7888345 54.90% 2.839%

22 15.125 15.021 15.145 BV 440634 5813629 40.46% 2.092%

23 15.172 15.145 15.332 VV 971618 14369767 100.00% 5.172%

24 16.198 16.141 16.250 BBA 603507 7734260 53.82% 2.784%

25 16.686 16.575 16.702 BV 425483 6140008 42.73% 2.210%

26 16.720 16.702 17.001 VV 497194 7359552 51.22% 2.649%

27 17.068 17.001 17.110 VV 393483 5519747 38.41% 1.987%

28 17.145 17.110 17.341 VB 578858 8353818 58.13% 3.007%

29 18.033 17.965 18.101 PB 566170 7913839 55.07% 2.848%

30 18.442 18.135 18.457 BV 223213 2671568 18.59% 0.962%

31 18.474 18.457 18.658 VV 233130 4900310 34.10% 1.764%

32 18.697 18.658 18.801 PBA 235900 4030775 28.05% 1.451%

33 18.864 18.801 19.155 BB 558448 7645201 53.20% 2.752%

34 19.647 19.581 19.711 BV 557744 8335920 58.01% 3.000%

35 20.385 20.341 20.430 BBA 590357 8540864 59.44% 3.074%

rters

Instrument :
FID_E
ClientSampleId :
PB162986BS

Manual IntegrationsAPPROVED

36 21.114 21.051 21.170 BBA 510767 876613

37 22.011 21.951 22.100 BBA 356249 856068

Sum of corrected areas: 277832441

Reviewed By :Yogesh Patel 08/27/2024
Supervised By :Ankita Jodhani 08/27/2024

Aliphatic EPH 081424.M Tue Aug 27 02:04:11 2024