

rteres

Instrument :

FID_E

ClientSampleId :

PB163078BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/04/2024
Supervised By :Ankita Jodhani 09/04/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE08312
Data File : FE049849.D
Signal(s) : FID1B.ch
Acq On : 30 Aug 2024 15:47
Sample : PB163078BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.280	3.241	3.340	BBA	678214	6660993	51.60%	2.726%
2	4.526	4.501	4.544	BV	732101	6982646	54.09%	2.858%
3	4.563	4.544	4.741	VB	704214	7087206	54.90%	2.901%
4	6.229	6.158	6.461	BB	714635	7204898	55.81%	2.949%
5	6.689	6.651	6.800	BBA	714112	7196439	55.74%	2.946%
6	7.324	7.288	7.449	PV	665467	6905950	53.49%	2.827%
7	8.517	8.471	8.580	BBA	703984	7196670	55.74%	2.946%
8	8.625	8.581	8.795	BV	664323	6888560	53.36%	2.820%
9	8.924	8.893	9.141	VB	658147	6958855	53.90%	2.848%
10	9.712	9.668	9.841	BV	576269	6535930	50.63%	2.675%
11	10.121	10.088	10.200	BBA	644577	7058058	54.67%	2.889%
12	11.118	11.081	11.168	BV	530391	6055480	46.91%	2.479%
13	11.194	11.168	11.338	VV	517919	6141974	47.58%	2.514%
14	11.563	11.528	11.641	PBA	626452	7146530	55.36%	2.925%
15	11.882	11.851	11.991	BB	603193	6654498	51.55%	2.724%
16	12.870	12.831	12.904	BV	618216	7133010	55.25%	2.920%
17	12.938	12.904	13.098	VV	516085	6146138	47.61%	2.516%
18	13.236	13.181	13.278	VV	514623	6060467	46.94%	2.481%
19	13.314	13.278	13.441	VV	404454	5198448	40.27%	2.128%
20	13.481	13.441	13.595	VB	571719	6937355	53.74%	2.840%
21	14.067	14.011	14.171	BB	545934	6819814	52.83%	2.791%
22	15.116	15.031	15.136	BV	387956	5007201	38.79%	2.049%
23	15.163	15.136	15.501	VB	810038	12910067	100.00%	5.284%
24	16.188	16.141	16.250	BBA	510704	6700282	51.90%	2.742%
25	16.676	16.565	16.691	BV	368483	5136417	39.79%	2.102%
26	16.708	16.691	16.988	VV	431895	6484603	50.23%	2.654%
27	17.056	16.988	17.102	VV	302727	4613889	35.74%	1.889%
28	17.136	17.102	17.371	VB	515297	7378775	57.16%	3.020%
29	18.023	17.938	18.131	VB	488602	6906727	53.50%	2.827%
30	18.430	18.389	18.447	PV	176842	2530977	19.60%	1.036%
31	18.465	18.447	18.648	VV	176057	4394804	34.04%	1.799%
32	18.684	18.648	18.801	VBA	176970	3386380	26.23%	1.386%
33	18.854	18.801	19.041	BV	496800	6832961	52.93%	2.797%
34	19.637	19.581	19.741	BV	529314	7362746	57.03%	3.014%
35	20.376	20.341	20.430	BBA	522569	7484578	57.97%	3.064%
36	21.103	21.051	21.170	BBA	467228	8190696	63.44%	3.353%

37 21.999 21.951 22.100 BBA 366169 8022525 62.14% 3.284%
rteres
Sum of corrected areas: 2443

Aliphatic EPH 081424.M Sat Aug 31 04:50:13 2024

Instrument :

FID_E

ClientSampleId :

PB163078BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/04/2024
Supervised By :Ankita Jodhani 09/04/2024