

rteres

Instrument :

FID_E

ClientSampleId :

PB147403BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09012

Data File : FE037382.D

Signal(s) : FID1B.ch

Acq On : 01 Sep 2022 15:37

Sample : PB147403BS

Misc :

ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/02/2022

Supervised By :Ankita Jodhani 09/02/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.060	3.021	3.183	BB	577555	6196520	51.46%	2.775%
2	4.306	4.268	4.329	BV	620156	6284532	52.20%	2.815%
3	4.347	4.329	4.504	VB	575951	6612175	54.92%	2.961%
4	6.013	5.980	6.263	BB	447529	6385844	53.04%	2.860%
5	6.468	6.424	6.581	BB	627301	6687609	55.54%	2.995%
6	7.104	7.080	7.359	PB	404172	6062792	50.35%	2.715%
7	8.286	8.241	8.377	BV	626681	6694935	55.60%	2.998%
8	8.396	8.377	8.617	VB	461995	6119390	50.82%	2.741%
9	8.691	8.651	8.872	BB	545707	6562067	54.50%	2.939%
10	9.480	9.447	9.719	BB	408937	6024493	50.04%	2.698%
11	9.884	9.837	9.978	BB	566765	6603296	54.84%	2.957%
12	10.880	10.837	10.940	BV	457925	5760703	47.85%	2.580%
13	10.958	10.940	11.108	VV	325990	5661904	47.02%	2.536%
14	11.319	11.284	11.402	PB	558003	6578273	54.64%	2.946%
15	11.641	11.598	11.760	BB	571561	6589532	54.73%	2.951%
16	12.621	12.574	12.669	BV	511038	6291115	52.25%	2.817%
17	12.693	12.669	12.886	VB	381277	5767210	47.90%	2.583%
18	12.987	12.956	13.034	BV	391113	5380268	44.69%	2.410%
19	13.062	13.034	13.191	VB	417002	5523339	45.87%	2.474%
20	13.229	13.191	13.299	BB	503717	6206649	51.55%	2.780%
21	13.811	13.736	13.880	BB	488466	6107335	50.72%	2.735%
22	14.865	14.827	14.884	BV	424263	4986413	41.41%	2.233%
23	14.907	14.884	15.164	VB	734178	12040318	100.00%	5.392%
24	15.925	15.862	15.986	BB	420216	5815423	48.30%	2.604%
25	16.421	16.373	16.437	BV	414591	5222420	43.37%	2.339%
26	16.451	16.437	16.677	VB	332230	6079065	50.49%	2.722%
27	16.802	16.760	16.837	BV	252443	3944184	32.76%	1.766%
28	16.867	16.837	17.041	VB	430310	6824015	56.68%	3.056%
29	17.752	17.692	17.816	BB	404809	5651765	46.94%	2.531%
30	18.177	18.151	18.193	BV	371133	4836603	40.17%	2.166%
31	18.207	18.193	18.402	VV	295615	6265781	52.04%	2.806%
32	18.430	18.402	18.537	VV	351277	5753475	47.79%	2.577%
33	18.579	18.537	18.668	VB	395797	5820120	48.34%	2.607%
34	19.357	19.298	19.437	BB	372419	5574460	46.30%	2.497%
35	20.093	20.061	20.178	BB	319955	4934974	40.99%	2.210%
36	20.789	20.751	20.851	BB	286765	4752994	39.48%	2.129%

37 21.567 21.487 21.684 BB 208254 4688810 38.94% 2.100%
rteres
Sum of corrected areas: 2232

Aliphatic EPH 082922.M Fri Sep 02 09:04:44 2022

Instrument :

FID_E

ClientSampleId :

PB147403BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/02/2022
Supervised By :Ankita Jodhani 09/02/2022