

rteres

Instrument :

FID_E

ClientSampleId :

PB147403BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09012

Data File : FE037383.D

Signal(s) : FID1B.ch

Acq On : 01 Sep 2022 16:07

Sample : PB147403BSD

Misc :

ALS Vial : 14 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/02/2022

Supervised By :Ankita Jodhani 09/02/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.060	3.033	3.180	BB	567016	6152752	50.99%	2.759%
2	4.306	4.266	4.330	BV	618089	6235476	51.67%	2.796%
3	4.347	4.330	4.511	VB	580254	6588893	54.60%	2.955%
4	6.013	5.982	6.256	BB	432652	6336130	52.51%	2.841%
5	6.467	6.437	6.579	BB	624132	6647300	55.08%	2.981%
6	7.104	7.082	7.356	PB	399241	6031747	49.98%	2.705%
7	8.286	8.236	8.373	BV	612439	6655808	55.16%	2.985%
8	8.396	8.373	8.609	VB	450551	6094180	50.50%	2.733%
9	8.691	8.654	8.878	BB	548666	6566240	54.41%	2.945%
10	9.480	9.447	9.651	BV	400099	5922380	49.08%	2.656%
11	9.884	9.850	9.972	BB	578650	6581160	54.54%	2.951%
12	10.880	10.834	10.939	BV	466915	5762663	47.75%	2.584%
13	10.958	10.939	11.109	VV	323006	5669688	46.98%	2.543%
14	11.318	11.281	11.399	BB	572393	6565773	54.41%	2.944%
15	11.641	11.593	11.759	BB	570207	6583013	54.55%	2.952%
16	12.621	12.573	12.667	BV	503316	6290960	52.13%	2.821%
17	12.692	12.667	12.895	VB	390257	5788910	47.97%	2.596%
18	12.988	12.957	13.035	BV	395572	5415921	44.88%	2.429%
19	13.062	13.035	13.192	VV	412308	5588271	46.31%	2.506%
20	13.229	13.192	13.300	VB	512595	6246949	51.77%	2.801%
21	13.811	13.732	13.872	BB	482314	6114841	50.67%	2.742%
22	14.864	14.827	14.884	BV	430929	5027892	41.67%	2.255%
23	14.907	14.884	15.156	VB	744018	12067400	100.00%	5.412%
24	15.925	15.869	15.984	BB	433536	5843959	48.43%	2.621%
25	16.421	16.372	16.437	BV	434070	5258296	43.57%	2.358%
26	16.451	16.437	16.676	VB	332564	6097260	50.53%	2.734%
27	16.803	16.761	16.837	BV	249015	3965551	32.86%	1.778%
28	16.866	16.837	17.032	VB	429680	6831296	56.61%	3.064%
29	17.751	17.694	17.815	BB	398235	5690915	47.16%	2.552%
30	18.177	18.151	18.192	BV	377510	4874605	40.39%	2.186%
31	18.206	18.192	18.400	VV	306305	6271345	51.97%	2.812%
32	18.429	18.400	18.537	VV	335758	5772413	47.83%	2.589%
33	18.577	18.537	18.671	VB	390614	5857069	48.54%	2.627%
34	19.356	19.294	19.430	BB	367426	5569759	46.16%	2.498%
35	20.092	20.061	20.188	BB	320556	4809151	39.85%	2.157%
36	20.789	20.751	20.867	BB	272423	4670554	38.70%	2.095%

37 21.567 21.497 21.688 BB 205175 4542800 37.65% 2.037%
Sum of corrected areas: 2229

Aliphatic EPH 082922.M Fri Sep 02 09:05:17 2022

Instrument :

FID_E

ClientSampleId :

PB147403BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/02/2022
Supervised By :Ankita Jodhani 09/02/2022