

rteres

Instrument :

FID_E

ClientSampleId :

PB163107BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/04/2024
Supervised By :Ankita Jodhani 09/04/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09032
Data File : FE049894.D
Signal(s) : FID1B.ch
Acq On : 03 Sep 2024 15:13
Sample : PB163107BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.280	3.241	3.340	BBA	715941	6987397	51.03%	2.604%
2	4.526	4.465	4.544	BV	782718	7515377	54.89%	2.801%
3	4.563	4.544	4.718	VB	750714	7594101	55.46%	2.831%
4	6.229	6.165	6.478	BB	768325	7837630	57.24%	2.921%
5	6.689	6.651	6.800	BBA	782845	7839390	57.26%	2.922%
6	7.324	7.288	7.448	PV	737998	7549777	55.14%	2.814%
7	8.517	8.471	8.580	BBA	752081	7863426	57.43%	2.931%
8	8.625	8.581	8.797	BV	718775	7544884	55.11%	2.812%
9	8.924	8.893	9.145	VB	730798	7608091	55.57%	2.836%
10	9.713	9.668	9.838	BV	641741	7196949	52.56%	2.683%
11	10.121	10.081	10.201	PBA	703523	7746132	56.57%	2.887%
12	11.118	11.081	11.165	BV	598502	6616137	48.32%	2.466%
13	11.195	11.165	11.340	VV	551360	6728974	49.15%	2.508%
14	11.563	11.522	11.641	PBA	672345	7838798	57.25%	2.922%
15	11.881	11.851	11.998	BV	674662	7172800	52.39%	2.674%
16	12.871	12.831	12.905	BV	655556	7804636	57.00%	2.909%
17	12.939	12.905	13.095	VV	559942	6697919	48.92%	2.497%
18	13.237	13.198	13.277	BV	553528	6629460	48.42%	2.471%
19	13.314	13.277	13.411	VV	456318	5557183	40.59%	2.071%
20	13.481	13.445	13.601	VB	619303	7578714	55.35%	2.825%
21	14.067	14.011	14.165	BB	605198	7464558	54.52%	2.782%
22	15.117	15.035	15.137	BV	431908	5516508	40.29%	2.056%
23	15.164	15.137	15.323	VV	927753	13691820	100.00%	5.104%
24	16.189	16.141	16.250	BBA	556310	7315411	53.43%	2.727%
25	16.677	16.568	16.692	BV	398054	5698992	41.62%	2.124%
26	16.710	16.692	16.988	VV	461212	7167088	52.35%	2.671%
27	17.058	16.988	17.101	VV	328596	5135704	37.51%	1.914%
28	17.137	17.101	17.385	VB	567589	8082805	59.03%	3.013%
29	18.024	17.948	18.118	PB	549105	7538604	55.06%	2.810%
30	18.431	18.228	18.447	BV	196287	2478352	18.10%	0.924%
31	18.464	18.447	18.648	VV	197070	4610905	33.68%	1.719%
32	18.686	18.648	18.801	PBA	191652	3658014	26.72%	1.363%
33	18.854	18.801	18.988	BV	517414	7537171	55.05%	2.809%
34	19.638	19.581	19.704	BV	569329	8067972	58.93%	3.007%
35	20.376	20.341	20.430	BBA	581449	8391218	61.29%	3.128%
36	21.105	21.051	21.170	BBA	537284	9557948	69.81%	3.563%

37 21.998 21.931 22.100 BBA 452637 10460918 76.40% 3.899%
rteres
Sum of corrected areas: 2682

Aliphatic EPH 081424.M Wed Sep 04 02:00:16 2024

Instrument :

FID_E

ClientSampleId :

PB163107BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/04/2024
Supervised By :Ankita Jodhani 09/04/2024