

rteres

Instrument :

FID_E

ClientSampleId :

PB163145BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/05/2024

Supervised By :Ankita Jodhani 09/05/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09042
Data File : FE049916.D
Signal(s) : FID1B.ch
Acq On : 04 Sep 2024 14:07
Sample : PB163145BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.278	3.241	3.339	BBA	649475	6288145	50.90%	2.729%
2	4.525	4.458	4.543	BV	694168	6611711	53.52%	2.869%
3	4.562	4.543	4.664	VV	658807	6662626	53.93%	2.892%
4	6.229	6.158	6.474	BB	646994	6822669	55.23%	2.961%
5	6.688	6.651	6.799	BBA	693906	6819367	55.20%	2.960%
6	7.324	7.288	7.448	PV	627172	6536272	52.91%	2.837%
7	8.516	8.471	8.579	BBA	680031	6828302	55.27%	2.963%
8	8.625	8.581	8.798	BV	630364	6546586	52.99%	2.841%
9	8.924	8.894	9.154	VB	622548	6627606	53.65%	2.876%
10	9.713	9.618	9.878	BV	562402	6273754	50.78%	2.723%
11	10.121	10.084	10.201	PBA	628040	6712473	54.34%	2.913%
12	11.119	11.081	11.168	BV	518654	5758580	46.61%	2.499%
13	11.195	11.168	11.341	VV	494129	5874918	47.56%	2.550%
14	11.563	11.474	11.639	BBA	615306	6788522	54.95%	2.946%
15	11.881	11.851	12.001	BB	569646	6090465	49.30%	2.643%
16	12.871	12.831	12.908	BV	580162	6803214	55.07%	2.953%
17	12.939	12.908	13.097	VV	475807	5844551	47.31%	2.537%
18	13.238	13.181	13.278	VV	490195	5773204	46.73%	2.506%
19	13.315	13.278	13.441	VV	401579	5021960	40.65%	2.180%
20	13.482	13.441	13.598	VB	542606	6617865	53.57%	2.872%
21	14.067	14.011	14.174	BB	539030	6519633	52.77%	2.830%
22	15.117	15.074	15.138	BV	378813	4763779	38.56%	2.067%
23	15.165	15.138	15.511	VB	795720	12353792	100.00%	5.362%
24	16.188	16.141	16.249	BBA	482939	6398534	51.79%	2.777%
25	16.678	16.548	16.694	BV	344559	4842347	39.20%	2.102%
26	16.710	16.694	16.981	VV	417937	6182628	50.05%	2.683%
27	17.059	16.981	17.104	VV	291239	4397914	35.60%	1.909%
28	17.136	17.104	17.374	VB	476864	7029677	56.90%	3.051%
29	18.024	17.941	18.121	PB	471506	6594799	53.38%	2.862%
30	18.433	18.403	18.449	M	164860	2292170	18.55%	0.995%
31	18.467	18.449	18.555	M	163714	3424884	27.72%	1.486%
32	18.688	18.654	18.803	PBA	150394	2981350	24.13%	1.294%
33	18.854	18.803	19.049	BB	482188	6509648	52.69%	2.825%
34	19.637	19.583	19.736	BB	486308	6982974	56.52%	3.031%
35	20.376	20.343	20.433	BBA	481514	6993898	56.61%	3.035%
36	21.104	21.056	21.173	BBA	418007	7427396	60.12%	3.223%

37 21.996 21.936 22.099 BBA 311070 7417607 60.04% 3.219%
rteres
Sum of corrected areas: 2304

Aliphatic EPH 081424.M Thu Sep 05 01:36:43 2024

Instrument :

FID_E

ClientSampleId :

PB163145BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/05/2024
Supervised By :Ankita Jodhani 09/05/2024