

rteres

Instrument :

FID_E

ClientSampleId :

PB169545BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/05/2025

Supervised By :mohammad ahmed 09/08/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09042
Data File : FE055662.D
Signal(s) : FID1B.ch
Acq On : 04 Sep 2025 14:28
Sample : PB169545BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 082925.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.420	3.360	3.477	BB	424370	4142183	42.31%	2.256%
2	4.674	4.620	4.695	BV	455503	4350958	44.44%	2.370%
3	4.715	4.695	4.772	VV	474204	4721967	48.23%	2.572%
4	6.391	6.340	6.497	BB	493525	4950925	50.57%	2.697%
5	6.847	6.790	6.918	BB	451091	4525783	46.23%	2.465%
6	7.490	7.440	7.580	BB	442793	4548953	46.46%	2.478%
7	8.684	8.623	8.753	BB	452268	4683916	47.84%	2.551%
8	8.801	8.753	8.897	BB	508942	5076289	51.85%	2.765%
9	9.102	9.045	9.192	BB	514623	5137486	52.47%	2.798%
10	9.895	9.830	9.992	BB	483174	5086287	51.95%	2.770%
11	10.299	10.242	10.382	BB	452883	4912369	50.17%	2.676%
12	11.309	11.235	11.355	BV	443707	4858902	49.63%	2.646%
13	11.385	11.355	11.470	VBA	438501	4804253	49.07%	2.617%
14	11.748	11.705	11.815	BB	441149	4947215	50.53%	2.695%
15	12.075	12.015	12.133	BB	512929	5474709	55.92%	2.982%
16	13.064	13.003	13.105	BV	420301	5060863	51.69%	2.756%
17	13.139	13.105	13.220	VB	415625	4793321	48.96%	2.611%
18	13.440	13.372	13.478	BV	442688	4838063	49.41%	2.635%
19	13.512	13.478	13.567	VB	357165	4252157	43.43%	2.316%
20	13.678	13.617	13.748	BB	409943	4814389	49.17%	2.622%
21	14.266	14.203	14.337	BB	391696	4740089	48.41%	2.582%
22	15.327	15.258	15.347	BV	365258	4787028	48.89%	2.607%
23	15.371	15.347	15.470	VB	799313	9790734	100.00%	5.333%
24	16.398	16.335	16.458	BB	357954	4613862	47.12%	2.513%
25	16.894	16.820	16.910	BV	365749	5407184	55.23%	2.945%
26	16.927	16.910	17.020	VB	466684	5604211	57.24%	3.052%
27	17.278	17.235	17.317	M	375976	5335354	54.49%	2.906%
28	17.349	17.320	17.444	M	343850	4722771	48.24%	2.572%
29	18.240	18.165	18.327	BB	351905	4796794	48.99%	2.613%
30	18.652	18.580	18.668	BV	263413	3910244	39.94%	2.130%
31	18.687	18.668	18.865	VV	289296	5213597	53.25%	2.840%
32	18.908	18.865	19.000	PBA	224813	3792573	38.74%	2.066%
33	19.073	19.012	19.167	BB	345217	4851905	49.56%	2.643%
34	19.858	19.800	19.957	BB	353958	5071408	51.80%	2.762%
35	20.600	20.550	20.660	BB	332235	5009614	51.17%	2.729%
36	21.378	21.330	21.470	BB	268856	5126672	52.36%	2.792%

37 22.363 22.300 22.470 BB 192535 4843426 49.47% 2.638%
Sum of corrected areas: 1835

Aliphatic EPH 082925.M Fri Sep 05 02:07:38 2025

Instrument :

FID_E

ClientSampleId :

PB169545BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/05/2025

Supervised By :mohammad ahmed 09/08/2025