

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE090518\
 Data File : FE028603.D
 Signal(s) : FID1B.CH
 Acq On : 05 Sep 2018 13:53
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Sep 06 06:50:17 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE082118.M
 Quant Title :
 QLast Update : Tue Aug 21 14:35:20 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.975	12032895	42.937 ug/ml
Target Compounds			
1) N-OCTANE	2.556	45126769	374.656 ug/ml
2) N-NONANE	3.597	49038068	388.095 ug/ml
3) N-DECANE	4.689	78976270	400.004 ug/ml
4) N-UNDECANE	5.738	88712447	613.791 ug/ml
5) N-DODECANE	6.729	93618229	621.256 ug/ml
6) N-TETRADECANE	8.540	103193480	618.371 ug/ml
7) N-HEXADECANE	10.148	94826433	498.488 ug/ml
8) N-OCTADECANE	11.580	50083503	237.838 ug/ml
9) N-EICOSANE	12.878	20789768	91.224 ug/ml
10) N-TETRACOSANE	15.191	20367225	86.192 ug/ml
11) N-OCTACOSANE	17.157	9148184	41.154 ug/ml
12) N-DOTRIACONTANE	18.879	7325103	39.953 ug/mlm
14) N-HEXATRIACONTANE	20.406	5834642	44.298 ug/mlm
15) N-TETRACONTANE	22.226	4088673	35.425 ug/ml
16) N-TETRTETRACOOCTANE	25.352	2645912	24.936 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE090518\
Data File : FE028603.D
Signal(s) : FID1B.CH
Acq On : 05 Sep 2018 13:53
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Sep 06 06:50:17 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE082118.M
Quant Title :
QLast Update : Tue Aug 21 14:35:20 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

