

rteres

Instrument :

FID_E

ClientSampleId :

PB163166BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09052

Data File : FE049933.D

Signal(s) : FID1B.ch

Acq On : 05 Sep 2024 13:34

Sample : PB163166BS

Misc :

ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/06/2024

Supervised By :Ankita Jodhani 09/06/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 081424.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.279	3.241	3.340	BBA	699148	6855104	51.41%	2.755%
2	4.524	4.458	4.542	BV	771508	7267921	54.50%	2.921%
3	4.561	4.542	4.725	VB	731537	7375856	55.31%	2.964%
4	6.227	6.155	6.455	BB	727065	7469969	56.02%	3.002%
5	6.687	6.651	6.800	BBA	755873	7496996	56.22%	3.013%
6	7.322	7.284	7.446	PV	699714	7191030	53.93%	2.890%
7	8.514	8.471	8.580	BBA	742624	7504787	56.28%	3.016%
8	8.623	8.581	8.790	BV	699303	7177814	53.83%	2.884%
9	8.922	8.891	9.151	VB	688746	7265209	54.48%	2.919%
10	9.711	9.621	9.875	BV	618409	6799416	50.99%	2.732%
11	10.119	10.081	10.201	PBA	681181	7370387	55.27%	2.962%
12	11.117	11.081	11.165	BV	570970	6227910	46.71%	2.503%
13	11.193	11.165	11.338	VV	538622	6339786	47.54%	2.548%
14	11.561	11.521	11.641	PBA	652281	7448119	55.86%	2.993%
15	11.879	11.851	11.998	BB	578539	6428285	48.21%	2.583%
16	12.869	12.831	12.902	BV	615636	7420690	55.65%	2.982%
17	12.937	12.902	13.101	VV	520443	6346473	47.59%	2.550%
18	13.235	13.201	13.276	VV	531442	6261632	46.96%	2.516%
19	13.313	13.276	13.441	VV	437557	5314987	39.86%	2.136%
20	13.480	13.441	13.591	VB	601350	7203650	54.02%	2.895%
21	14.065	14.011	14.171	BB	560573	7084599	53.13%	2.847%
22	15.115	14.848	15.135	BV	413501	5083251	38.12%	2.043%
23	15.162	15.135	15.515	VV	850299	13334551	100.00%	5.358%
24	16.187	16.141	16.250	BBA	549086	6942045	52.06%	2.790%
25	16.677	16.642	16.690	M	369973	5205787	39.04%	2.092%
26	16.708	16.692	16.780	M	426914	5804756	43.53%	2.333%
27	17.056	17.025	17.101	VV	322168	4681277	35.11%	1.881%
28	17.134	17.101	17.428	VB	527951	7762636	58.21%	3.119%
29	18.021	17.945	18.121	PB	518836	7154965	53.66%	2.875%
30	18.432	18.338	18.447	BV	154839	2206460	16.55%	0.887%
31	18.463	18.447	18.645	VV	165428	4144455	31.08%	1.665%
32	18.685	18.645	18.801	VBA	157438	3003899	22.53%	1.207%
33	18.853	18.801	19.058	BB	497160	7054277	52.90%	2.835%
34	19.634	19.581	19.755	BB	537008	7593025	56.94%	3.051%
35	20.375	20.341	20.430	BBA	518061	7561628	56.71%	3.039%
36	21.102	21.051	21.170	BBA	440601	7859446	58.94%	3.158%

37 21.993 21.931 22.100 BBA 313680 7608488 57.06% 3.057%
rteres
Sum of corrected areas: 2488

Aliphatic EPH 081424.M Fri Sep 06 02:06:00 2024

Instrument :

FID_E

ClientSampleId :

PB163166BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/06/2024
Supervised By :Ankita Jodhani 09/06/2024