

rteres

Instrument :

FID_E

ClientSampleId :

PB147510BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09072

Data File : FE037442.D

Signal(s) : FID1B.ch

Acq On : 07 Sep 2022 17:09

Sample : PB147510BSD

Misc :

ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/08/2022

Supervised By :Ankita Jodhani 09/08/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.050	3.007	3.152	BB	613992	6388785	50.44%	2.491%
2	4.302	4.261	4.322	BV	675554	6674926	52.70%	2.603%
3	4.341	4.322	4.455	VB	643482	6809269	53.76%	2.655%
4	6.010	5.971	6.176	BB	627654	6989507	55.18%	2.726%
5	6.468	6.422	6.542	BB	688157	7123045	56.23%	2.778%
6	7.102	7.074	7.258	BB	612884	6904785	54.51%	2.693%
7	7.730	7.694	7.878	BB	600715	6552885	51.73%	2.555%
8	8.289	8.240	8.351	BB	665996	7197970	56.82%	2.807%
9	8.397	8.360	8.541	BB	638859	6840240	54.00%	2.667%
10	8.598	8.563	8.666	BV	368927	4204994	33.20%	1.640%
11	8.694	8.666	8.826	VB	669713	7434750	58.69%	2.899%
12	9.482	9.442	9.632	BB	601782	6944498	54.82%	2.708%
13	9.887	9.840	9.952	BB	628153	7157466	56.50%	2.791%
14	10.883	10.828	10.934	BV	581874	6664805	52.62%	2.599%
15	10.959	10.934	11.102	VV	532221	6727287	53.11%	2.623%
16	11.324	11.274	11.383	BB	614489	7155652	56.49%	2.790%
17	11.645	11.596	11.729	BB	610721	6836197	53.97%	2.666%
18	12.627	12.541	12.667	BV	567871	6876209	54.28%	2.681%
19	12.697	12.667	12.833	PB	503743	6297437	49.72%	2.456%
20	12.994	12.952	13.036	BV	516617	6206553	49.00%	2.420%
21	13.069	13.036	13.155	VB	441008	5507707	43.48%	2.148%
22	13.235	13.181	13.287	BB	541731	6775187	53.49%	2.642%
23	13.819	13.737	13.870	BB	541293	6659971	52.58%	2.597%
24	14.873	14.826	14.892	BV	468715	5740102	45.32%	2.238%
25	14.916	14.892	15.087	VB	924509	12666973	100.00%	4.940%
26	15.934	15.866	15.989	BB	477396	6267759	49.48%	2.444%
27	16.433	16.373	16.448	BV	430128	5845790	46.15%	2.280%
28	16.465	16.448	16.602	VB	462806	6126649	48.37%	2.389%
29	16.814	16.767	16.846	BV	364273	5109916	40.34%	1.993%
30	16.877	16.846	16.913	VV	437432	6290856	49.66%	2.453%
31	17.762	17.706	17.822	BB	409580	6009320	47.44%	2.343%
32	18.196	18.151	18.208	BV	441197	5944046	46.93%	2.318%
33	18.224	18.208	18.380	VB	420118	6512547	51.41%	2.540%
34	18.450	18.400	18.547	BV	437252	6426159	50.73%	2.506%
35	18.591	18.547	18.646	VB	402405	6062515	47.86%	2.364%
36	19.370	19.197	19.426	BB	408715	6093573	48.11%	2.376%

					rters		
37	20.105	20.061	20.176	BV	381731	5947629	46.95% 2.319%
38	20.805	20.751	20.873	BV	382351	6068054	47
39	21.589	21.524	21.648	M	300011	6392424	50
						Sum of corrected areas:	2564

Aliphatic EPH 082922.M Thu Sep 08 03:34:01 2022

Instrument :
FID_E
ClientSampleId :
PB147510BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/08/2022
Supervised By :Ankita Jodhani 09/08/2022