

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE091223AL\
 Data File : FE044216.D
 Signal(s) : FID1B.ch
 Acq On : 12 Sep 2023 10:30
 Operator : YP\AJ
 Sample : 04363-04DL 5X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 VNJ-227-E2DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/12/2023
 Supervised By :Ankita Jodhani 09/13/2023

Integration File: autoint1.e
 Quant Time: Sep 12 11:02:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 083023.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 31 03:37:37 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.930	1586248	8.373 ug/mlm
Spiked Amount 50.000		Recovery =	16.75%
12) S 1-chlorooctadecane (S...	13.370	1146207	8.297 ug/ml
Spiked Amount 50.000		Recovery =	16.59%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE091223AL\
Data File : FE044216.D
Signal(s) : FID1B.ch
Acq On : 12 Sep 2023 10:30
Operator : YP\AJ
Sample : 04363-04DL 5X
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
VNJ-227-E2DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/12/2023
Supervised By :Ankita Jodhani 09/13/2023

Integration File: autoint1.e
Quant Time: Sep 12 11:02:31 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 083023.
Quant Title : GC Extractables
QLast Update : Thu Aug 31 03:37:37 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.930 min
Delta R.T.: -0.007 min
Response: 1586248
Conc: 8.37 ug/ml

Instrument :
FID_E
ClientSampleId :
VNJ-227-E2DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/12/2023
Supervised By :Ankita Jodhani 09/13/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.370 min
Delta R.T.: -0.006 min
Response: 1146207
Conc: 8.30 ug/ml