

rteres

Instrument :

FID_E

ClientSampleId :

PB163294BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/12/2024
Supervised By :Ankita Jodhani 09/12/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09122
Data File : FE050047.D
Signal(s) : FID1B.ch
Acq On : 11 Sep 2024 16:46
Sample : PB163294BS
Misc :
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.271	3.241	3.340	BBA	516592	5088041	47.90%	2.624%
2	4.518	4.438	4.537	BV	562162	5432474	51.14%	2.802%
3	4.556	4.537	4.724	VB	553525	5566988	52.41%	2.871%
4	6.224	6.151	6.445	BB	558378	5774039	54.36%	2.978%
5	6.683	6.651	6.800	BBA	558287	5564973	52.39%	2.870%
6	7.319	7.281	7.491	PV	484479	5197922	48.93%	2.681%
7	8.511	8.471	8.579	BBA	560922	5834005	54.92%	3.009%
8	8.620	8.581	8.795	BV	508811	5359809	50.46%	2.764%
9	8.919	8.890	9.131	VB	559098	5937234	55.89%	3.062%
10	9.708	9.578	9.837	BV	488153	5411668	50.95%	2.791%
11	10.116	10.075	10.201	PBA	526482	5871410	55.28%	3.028%
12	11.114	11.081	11.161	BV	440823	4904984	46.18%	2.530%
13	11.190	11.161	11.337	VV	420691	5008004	47.15%	2.583%
14	11.557	11.518	11.641	PBA	502262	5846648	55.04%	3.015%
15	11.876	11.778	11.985	BB	535512	5898206	55.53%	3.042%
16	12.865	12.831	12.905	BV	505233	5830568	54.89%	3.007%
17	12.933	12.905	13.098	VV	433134	5076106	47.79%	2.618%
18	13.232	13.195	13.273	VV	460655	5300426	49.90%	2.734%
19	13.309	13.273	13.438	VV	404235	4921314	46.33%	2.538%
20	13.475	13.438	13.588	VB	467925	5649822	53.19%	2.914%
21	14.061	13.955	14.158	BB	440521	5572836	52.46%	2.874%
22	15.112	14.925	15.132	BV	337411	4054466	38.17%	2.091%
23	15.159	15.132	15.445	VB	672767	10622163	100.00%	5.478%
24	16.184	16.141	16.250	BBA	422256	5444667	51.26%	2.808%
25	16.673	16.633	16.689	M	312709	4211768	39.65%	2.172%
26	16.704	16.694	16.809	M	328420	4397217	41.40%	2.268%
27	17.055	17.025	17.098	VV	241090	3631543	34.19%	1.873%
28	17.131	17.098	17.378	VB	411806	6087478	57.31%	3.139%
29	18.018	17.938	18.121	PB	418410	5616140	52.87%	2.896%
30	18.432	18.131	18.447	BV	125590	1310944	12.34%	0.676%
31	18.464	18.447	18.648	VV	130589	3347629	31.52%	1.726%
32	18.685	18.648	18.801	PBA	109921	2367901	22.29%	1.221%
33	18.848	18.801	18.991	BV	413438	5636537	53.06%	2.907%
34	19.633	19.581	19.685	BV	394028	5790385	54.51%	2.986%
35	20.371	20.031	20.431	PBA	371153	5622845	52.94%	2.900%
36	21.098	21.051	21.169	BBA	320753	5596162	52.68%	2.886%

37 21.987 21.931 22.100 BBA 218989 5119543 48.20% 2.640%
rteres
Sum of corrected areas: 1939

Aliphatic EPH 091024.M Thu Sep 12 04:03:53 2024

Instrument :

FID_E

ClientSampleId :

PB163294BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/12/2024

Supervised By :Ankita Jodhani 09/12/2024