

rteres

Instrument :

FID_E

ClientSampleId :

PB163294BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/12/2024

Supervised By :Ankita Jodhani 09/12/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09122
Data File : FE050048.D
Signal(s) : FID1B.ch
Acq On : 11 Sep 2024 17:16
Sample : PB163294BSD
Misc :
ALS Vial : 18 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.271	3.241	3.339	BBA	514501	5074038	47.06%	2.589%
2	4.519	4.438	4.537	BV	552928	5407062	50.15%	2.759%
3	4.556	4.537	4.734	VB	539677	5548748	51.47%	2.831%
4	6.223	6.144	6.458	BB	559494	5766312	53.49%	2.942%
5	6.682	6.651	6.791	BB	550608	5538484	51.37%	2.826%
6	7.319	7.284	7.491	PV	487014	5195842	48.19%	2.651%
7	8.511	8.471	8.579	BBA	565886	5805307	53.85%	2.962%
8	8.620	8.581	8.787	BV	515165	5361271	49.73%	2.735%
9	8.919	8.891	9.148	VB	564306	5934382	55.04%	3.028%
10	9.707	9.611	9.871	BV	491971	5519373	51.19%	2.816%
11	10.115	10.073	10.203	PBA	545151	5845573	54.22%	2.983%
12	11.114	11.083	11.163	BV	435286	4919280	45.63%	2.510%
13	11.189	11.163	11.334	VV	421690	5017241	46.54%	2.560%
14	11.557	11.516	11.643	PBA	499503	5834309	54.12%	2.977%
15	11.875	11.756	11.988	BV	550022	5901826	54.74%	3.011%
16	12.865	12.836	12.900	BV	481190	5786088	53.67%	2.952%
17	12.934	12.900	13.094	PV	416963	5031128	46.67%	2.567%
18	13.232	13.176	13.273	PV	434026	5313947	49.29%	2.711%
19	13.309	13.273	13.436	VV	391595	4924824	45.68%	2.513%
20	13.476	13.436	13.629	VB	473449	5674362	52.63%	2.895%
21	14.061	13.956	14.209	BB	435414	5584721	51.80%	2.849%
22	15.112	14.963	15.132	BV	310010	4135482	38.36%	2.110%
23	15.159	15.132	15.508	VV	688235	10781115	100.00%	5.501%
24	16.183	16.143	16.253	BBA	414929	5456807	50.61%	2.784%
25	16.673	16.256	16.688	BV	307698	4065492	37.71%	2.074%
26	16.704	16.688	16.908	VV	331637	5279848	48.97%	2.694%
27	17.054	16.982	17.094	VV	248703	3678546	34.12%	1.877%
28	17.130	17.094	17.436	VB	411405	6172116	57.25%	3.149%
29	18.018	17.939	18.123	PV	424716	5625009	52.17%	2.870%
30	18.431	18.401	18.449	M	145487	2178139	20.20%	1.111%
31	18.463	18.454	18.576	M	147496	3052101	28.31%	1.557%
32	18.685	18.649	18.803	PBA	137322	2751472	25.52%	1.404%
33	18.850	18.803	19.049	BB	411423	5573274	51.69%	2.844%
34	19.632	19.583	19.696	BV	405764	5810471	53.89%	2.965%
35	20.371	20.029	20.436	PBA	373906	5791490	53.72%	2.955%
36	21.096	21.056	21.173	BBA	322282	5570222	51.67%	2.842%

37 21.987 21.936 22.099 BBA 212564 5085265 47.17% 2.595%
rteres
Sum of corrected areas: 1959

Aliphatic EPH 091024.M Thu Sep 12 04:05:52 2024

Instrument :

FID_E

ClientSampleId :

PB163294BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/12/2024
Supervised By :Ankita Jodhani 09/12/2024