

rteres

Instrument :

FID_E

ClientSampleId :

PB163324BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/13/2024

Supervised By :Ankita Jodhani 09/13/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09132
Data File : FE050068.D
Signal(s) : FID1B.ch
Acq On : 12 Sep 2024 14:13
Sample : PB163324BS
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.270	3.241	3.339	BBA	483896	4785429	47.44%	2.617%
2	4.518	4.448	4.537	BV	531954	5056291	50.13%	2.765%
3	4.556	4.537	4.724	VB	512902	5217252	51.72%	2.853%
4	6.224	6.164	6.441	BB	507041	5382568	53.36%	2.943%
5	6.683	6.651	6.799	BBA	518849	5179076	51.34%	2.832%
6	7.319	7.278	7.498	PV	464534	4864915	48.23%	2.660%
7	8.511	8.471	8.579	BBA	528722	5438932	53.92%	2.974%
8	8.621	8.581	8.793	BV	480469	5042987	49.99%	2.758%
9	8.919	8.889	9.144	VB	517397	5606470	55.58%	3.066%
10	9.708	9.638	9.831	BV	457403	5108294	50.64%	2.793%
11	10.116	10.077	10.201	PBA	500136	5485577	54.38%	3.000%
12	11.114	11.081	11.163	BV	417198	4632367	45.92%	2.533%
13	11.191	11.163	11.336	VV	402906	4724828	46.84%	2.584%
14	11.557	11.514	11.641	PBA	468984	5485607	54.38%	3.000%
15	11.877	11.804	11.994	BV	527473	5645061	55.96%	3.087%
16	12.866	12.831	12.903	BV	469531	5496295	54.49%	3.006%
17	12.935	12.903	13.097	VV	397160	4794451	47.53%	2.622%
18	13.233	13.201	13.276	BV	425087	5000007	49.57%	2.734%
19	13.310	13.276	13.441	VV	365966	4693530	46.53%	2.567%
20	13.476	13.441	13.594	VB	453485	5331765	52.86%	2.916%
21	14.062	14.023	14.151	VB	432501	5248727	52.03%	2.870%
22	15.113	14.941	15.134	BV	301568	3821957	37.89%	2.090%
23	15.160	15.134	15.478	VB	674583	10086987	100.00%	5.516%
24	16.184	16.141	16.249	BBA	406328	5146374	51.02%	2.814%
25	16.674	16.551	16.690	BV	290582	3854952	38.22%	2.108%
26	16.707	16.690	16.915	VV	313248	4798220	47.57%	2.624%
27	17.056	17.023	17.100	VV	223681	3337677	33.09%	1.825%
28	17.132	17.100	17.371	VB	394461	5683601	56.35%	3.108%
29	18.020	17.936	18.081	PB	379072	5287357	52.42%	2.891%
30	18.433	18.108	18.449	BV	108803	1091019	10.82%	0.597%
31	18.467	18.449	18.654	VV	115890	3019335	29.93%	1.651%
32	18.687	18.654	18.801	PBA	102458	2159337	21.41%	1.181%
33	18.850	18.801	18.984	BV	390123	5327951	52.82%	2.913%
34	19.633	19.581	19.721	BB	369129	5508335	54.61%	3.012%
35	20.374	20.034	20.431	PBA	377079	5364154	53.18%	2.933%
36	21.100	21.051	21.169	BBA	313760	5331610	52.86%	2.916%

37 21.989 21.931 22.099 BBA 203429 4831853 47.90% 2.642%
rteres
Sum of corrected areas: 1828

Aliphatic EPH 091024.M Fri Sep 13 01:47:41 2024

Instrument :

FID_E

ClientSampleId :

PB163324BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/13/2024
Supervised By :Ankita Jodhani 09/13/2024