

rteres

Instrument :

FID_E

ClientSampleId :

PB163324BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/13/2024

Supervised By :Ankita Jodhani 09/13/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09132
Data File : FE050069.D
Signal(s) : FID1B.ch
Acq On : 12 Sep 2024 14:44
Sample : PB163324BSD
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.270	3.241	3.339	BBA	489288	4769811	47.21%	2.595%
2	4.518	4.448	4.537	BV	526456	5055891	50.04%	2.750%
3	4.556	4.537	4.711	VB	519689	5203788	51.51%	2.831%
4	6.224	6.158	6.451	BB	518213	5391718	53.37%	2.933%
5	6.683	6.651	6.799	BBA	519345	5175802	51.23%	2.816%
6	7.320	7.284	7.504	PV	460024	4864385	48.15%	2.646%
7	8.511	8.471	8.579	BBA	540471	5429137	53.74%	2.953%
8	8.621	8.581	8.791	BV	482698	5018600	49.67%	2.730%
9	8.919	8.890	9.144	VB	521404	5574188	55.17%	3.032%
10	9.708	9.631	9.836	BV	465571	5144179	50.92%	2.798%
11	10.116	10.076	10.201	PBA	498761	5469092	54.13%	2.975%
12	11.114	11.081	11.163	BV	413557	4620067	45.73%	2.513%
13	11.190	11.163	11.341	VV	399014	4711495	46.63%	2.563%
14	11.557	11.518	11.641	PBA	492969	5469706	54.14%	2.975%
15	11.876	11.791	11.991	BV	512875	5612138	55.55%	3.053%
16	12.866	12.831	12.903	BV	479005	5475121	54.19%	2.978%
17	12.935	12.903	13.100	VV	392849	4775739	47.27%	2.598%
18	13.234	13.201	13.276	BV	426175	4981212	49.30%	2.710%
19	13.311	13.276	13.438	VV	367533	4666397	46.19%	2.538%
20	13.476	13.438	13.594	VB	452688	5306571	52.53%	2.887%
21	14.062	13.941	14.148	BB	416634	5228435	51.75%	2.844%
22	15.113	15.034	15.134	BV	304319	3874483	38.35%	2.108%
23	15.159	15.134	15.498	VB	652176	10102921	100.00%	5.496%
24	16.183	16.141	16.249	BBA	391705	5121873	50.70%	2.786%
25	16.674	16.551	16.689	BV	294883	3889924	38.50%	2.116%
26	16.705	16.689	16.908	VV	314919	4824324	47.75%	2.624%
27	17.055	17.021	17.101	VV	216256	3400842	33.66%	1.850%
28	17.132	17.101	17.324	VB	386596	5570891	55.14%	3.031%
29	18.019	17.944	18.114	VB	376547	5271341	52.18%	2.868%
30	18.432	18.221	18.448	BV	125315	1573464	15.57%	0.856%
31	18.466	18.448	18.650	VV	129464	3365225	33.31%	1.831%
32	18.686	18.650	18.801	PBA	128451	2525793	25.00%	1.374%
33	18.850	18.801	18.984	BV	381359	5292914	52.39%	2.879%
34	19.633	19.581	19.686	BV	368922	5470642	54.15%	2.976%
35	20.373	20.032	20.431	PBA	368710	5386126	53.31%	2.930%
36	21.099	21.051	21.169	BBA	305844	5305096	52.51%	2.886%

37 21.990 21.931 22.099 BBA 206543 4905665 48.56% 2.669%
rteres
Sum of corrected areas: 1838

Aliphatic EPH 091024.M Fri Sep 13 01:48:24 2024

Instrument :

FID_E

ClientSampleId :

PB163324BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/13/2024
Supervised By :Ankita Jodhani 09/13/2024