

rteres

Instrument :

FID_E

ClientSampleId :

PB147635BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09142
 Data File : FE037567.D
 Signal(s) : FID1B.ch
 Acq On : 15 Sep 2022 02:19
 Sample : PB147635BSD
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/15/2022
 Supervised By :Ankita Jodhani 09/15/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.053	3.014	3.169	BB	729849	7787159	53.44%	2.849%
2	4.298	4.255	4.318	BV	802187	7936108	54.47%	2.903%
3	4.336	4.318	4.489	VB	737898	8297280	56.95%	3.035%
4	6.000	5.968	6.228	BB	641836	8064307	55.35%	2.950%
5	6.457	6.413	6.565	BB	778081	8304006	56.99%	3.038%
6	7.091	7.066	7.309	PB	601986	7674690	52.67%	2.808%
7	8.276	8.226	8.361	BV	756569	8203772	56.30%	3.001%
8	8.384	8.361	8.566	PB	625592	7474044	51.30%	2.734%
9	8.681	8.641	8.848	BB	708094	8045008	55.21%	2.943%
10	9.468	9.429	9.638	BV	576109	7411245	50.86%	2.711%
11	9.874	9.826	9.949	BB	702115	8051704	55.26%	2.946%
12	10.869	10.821	10.924	BV	623296	7216106	49.52%	2.640%
13	10.946	10.924	11.093	VV	474816	7150431	49.07%	2.616%
14	11.309	11.271	11.385	BB	673434	7984469	54.80%	2.921%
15	11.630	11.586	11.730	BB	601643	6872957	47.17%	2.514%
16	12.611	12.568	12.656	BV	608349	7623389	52.32%	2.789%
17	12.682	12.656	12.845	VB	544439	7082362	48.61%	2.591%
18	12.978	12.937	13.023	BV	528462	6881626	47.23%	2.517%
19	13.052	13.023	13.175	VB	443497	5728465	39.32%	2.096%
20	13.220	13.181	13.286	BB	607301	7516150	51.58%	2.750%
21	13.802	13.721	13.853	BB	593414	7392282	50.73%	2.704%
22	14.857	14.814	14.876	BV	542684	6654281	45.67%	2.434%
23	14.900	14.876	15.115	VB	996171	14570650	100.00%	5.330%
24	15.918	15.863	15.978	BB	524775	7122704	48.88%	2.606%
25	16.416	16.361	16.432	BV	529118	6855326	47.05%	2.508%
26	16.448	16.432	16.646	VB	491689	7509089	51.54%	2.747%
27	16.798	16.751	16.829	BV	411842	5717668	39.24%	2.092%
28	16.859	16.829	16.916	VV	512461	7599178	52.15%	2.780%
29	17.745	17.671	17.808	BB	486493	7019895	48.18%	2.568%
30	18.178	18.151	18.192	BV	507207	7090095	48.66%	2.594%
31	18.207	18.192	18.398	VV	522803	8042371	55.20%	2.942%
32	18.432	18.398	18.528	PV	498014	7948439	54.55%	2.908%
33	18.570	18.528	18.648	VB	472677	7056739	48.43%	2.582%
34	19.350	19.288	19.401	BB	430260	6457554	44.32%	2.362%
35	20.084	20.038	20.165	M	354471	5583324	38.32%	2.043%
36	20.780	20.736	20.831	M	302045	4835296	33.19%	1.769%

37 21.558 21.485 21.676 BB 218344 4595828 31.54% 1.681%
rteres
Sum of corrected areas: 2735

Aliphatic EPH 082922.M Thu Sep 15 08:37:37 2022

Instrument :

FID_E

ClientSampleId :

PB147635BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/15/2022
Supervised By :Ankita Jodhani 09/15/2022