

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE091423AL\
 Data File : FE044270.D
 Signal(s) : FID1B.ch
 Acq On : 14 Sep 2023 08:20
 Operator : YP\AJ
 Sample : 04396-01DL 50X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 CHRT-24313DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 09/14/2023
 Supervised By :Ankita Jodhani 09/15/2023

Integration File: autoint1.e
 Quant Time: Sep 14 11:34:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 083023.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 31 03:37:37 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.925	199886	1.055 ug/mlm
Spiked Amount	50.000	Recovery =	2.11%
12) S 1-chlorooctadecane (S...	13.365	154425	1.118 ug/ml
Spiked Amount	50.000	Recovery =	2.24%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE091423AL\
Data File : FE044270.D
Signal(s) : FID1B.ch
Acq On : 14 Sep 2023 08:20
Operator : YP\AJ
Sample : 04396-01DL 50X
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
CHRT-24313DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/14/2023
Supervised By :Ankita Jodhani 09/15/2023

Integration File: autoint1.e
Quant Time: Sep 14 11:34:31 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 083023.
Quant Title : GC Extractables
QLast Update : Thu Aug 31 03:37:37 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.925 min
Delta R.T.: -0.011 min
Response: 199886
Conc: 1.06 ug/ml

Instrument :
FID_E
ClientSampleId :
CHRT-24313DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 09/14/2023
Supervised By :Ankita Jodhani 09/15/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.365 min
Delta R.T.: -0.010 min
Response: 154425
Conc: 1.12 ug/ml