

rteres

Instrument :

FID_E

ClientSampleId :

PB163373BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/16/2024

Supervised By :Ankita Jodhani 09/16/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09142
Data File : FE050087.D
Signal(s) : FID1B.ch
Acq On : 13 Sep 2024 15:33
Sample : PB163373BS
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.273	3.241	3.339	BBA	562119	5481053	46.07%	2.580%
2	4.519	4.448	4.538	BV	601721	5684811	47.78%	2.675%
3	4.557	4.538	4.718	VB	585538	5876484	49.39%	2.766%
4	6.224	6.161	6.454	BB	579160	5911889	49.69%	2.782%
5	6.683	6.651	6.798	BB	578039	5650378	47.49%	2.659%
6	7.320	7.281	7.501	PV	499292	5297380	44.53%	2.493%
7	8.511	8.471	8.579	BBA	580915	5957258	50.07%	2.804%
8	8.621	8.581	8.798	BV	525827	5507404	46.29%	2.592%
9	8.920	8.891	9.148	VB	591619	6164961	51.82%	2.901%
10	9.709	9.614	9.871	BV	512361	5791745	48.68%	2.726%
11	10.116	10.081	10.201	PBA	562422	6274711	52.74%	2.953%
12	11.117	11.081	11.164	BV	495299	5386506	45.28%	2.535%
13	11.192	11.164	11.338	VV	455561	5493820	46.18%	2.586%
14	11.559	11.516	11.641	PBA	577550	6458415	54.29%	3.040%
15	11.878	11.771	11.991	BB	614098	6640410	55.82%	3.125%
16	12.867	12.831	12.904	BV	546507	6494106	54.59%	3.056%
17	12.937	12.904	13.101	VV	477059	5656183	47.54%	2.662%
18	13.236	13.191	13.275	VV	509034	5910832	49.68%	2.782%
19	13.311	13.275	13.441	VV	455053	5572416	46.84%	2.623%
20	13.478	13.441	13.594	VB	532993	6292581	52.89%	2.961%
21	14.063	13.948	14.168	BB	498963	6204522	52.15%	2.920%
22	15.116	14.824	15.136	BV	384927	4559589	38.33%	2.146%
23	15.162	15.136	15.511	VV	811764	11896983	100.00%	5.599%
24	16.186	16.141	16.249	BBA	470518	6065901	50.99%	2.855%
25	16.678	16.548	16.693	BV	341148	4717792	39.66%	2.220%
26	16.709	16.693	16.914	VV	389863	5956265	50.07%	2.803%
27	17.059	16.991	17.101	VV	290819	4132092	34.73%	1.945%
28	17.133	17.101	17.371	VB	480937	6755855	56.79%	3.179%
29	18.021	17.938	18.084	PB	444856	6241179	52.46%	2.937%
30	18.436	18.138	18.451	BV	140470	1483300	12.47%	0.698%
31	18.468	18.451	18.650	VV	141775	3572916	30.03%	1.682%
32	18.690	18.650	18.801	PBA	126316	2553289	21.46%	1.202%
33	18.851	18.801	19.014	BB	439443	6232494	52.39%	2.933%
34	19.634	19.581	19.688	BV	459097	6460789	54.31%	3.041%
35	20.374	20.034	20.431	PBA	436651	6273257	52.73%	2.952%
36	21.100	21.051	21.169	BBA	356303	6232800	52.39%	2.933%

37 21.992 21.931 22.099 BBA 241354 5640088 47.41% 2.654%
rteres
Sum of corrected areas: 2124

Aliphatic EPH 091024.M Sat Sep 14 03:08:30 2024

Instrument :

FID_E

ClientSampleId :

PB163373BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/16/2024
Supervised By :Ankita Jodhani 09/16/2024