

rteres

Instrument :

FID_E

ClientSampleId :

PB147655BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09152

Data File : FE037594.D

Signal(s) : FID1B.ch

Acq On : 15 Sep 2022 17:37

Sample : PB147655BSD

Misc :

ALS Vial : 9 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/16/2022

Supervised By :Ankita Jodhani 09/16/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.036	3.001	3.147	BB	669199	6963667	46.01%	2.308%
2	4.289	4.243	4.309	BV	725791	7258017	47.96%	2.405%
3	4.327	4.309	4.470	VB	676777	7598193	50.21%	2.518%
4	5.997	5.961	6.213	BB	652593	7901021	52.21%	2.618%
5	6.455	6.408	6.553	BB	756053	8051507	53.20%	2.668%
6	7.088	7.062	7.287	PB	635972	7906853	52.25%	2.620%
7	7.716	7.677	7.905	BB	573004	6809940	45.00%	2.257%
8	8.275	8.228	8.354	BB	791269	8426934	55.68%	2.793%
9	8.383	8.354	8.552	BB	676279	7956727	52.58%	2.637%
10	8.585	8.557	8.653	BV	338161	4205321	27.79%	1.394%
11	8.679	8.653	8.846	VB	773428	8742502	57.77%	2.897%
12	9.466	9.429	9.632	BV	658085	8034570	53.09%	2.663%
13	9.872	9.827	9.953	BB	743356	8452860	55.85%	2.801%
14	10.866	10.819	10.920	BV	675819	7735539	51.11%	2.563%
15	10.943	10.920	11.091	VV	541075	7722228	51.03%	2.559%
16	11.307	11.260	11.378	BB	695586	8433742	55.73%	2.795%
17	11.628	11.579	11.720	BB	640766	7313396	48.33%	2.424%
18	12.609	12.566	12.653	BV	668768	8073719	53.35%	2.676%
19	12.679	12.653	12.837	VB	584160	7415799	49.00%	2.457%
20	12.975	12.929	13.022	BV	582451	7244812	47.87%	2.401%
21	13.050	13.022	13.142	VB	469771	5992378	39.60%	1.986%
22	13.217	13.162	13.279	BB	647443	7940047	52.47%	2.631%
23	13.799	13.764	13.854	BB	611678	7796960	51.52%	2.584%
24	14.854	14.807	14.872	BV	559132	6908660	45.65%	2.289%
25	14.896	14.872	15.104	VB	1075999	15133723	100.00%	5.015%
26	15.913	15.854	15.972	BB	546527	7437947	49.15%	2.465%
27	16.412	16.352	16.427	BV	538698	7129067	47.11%	2.362%
28	16.444	16.427	16.622	VB	497631	7653056	50.57%	2.536%
29	16.792	16.762	16.826	BV	446440	6120383	40.44%	2.028%
30	16.856	16.826	16.910	VV	540025	7796199	51.52%	2.584%
31	17.741	17.676	17.803	BB	510910	7291285	48.18%	2.416%
32	18.174	18.138	18.189	M	557915	8067034	53.31%	2.673%
33	18.202	18.190	18.364	M	537936	7872192	52.02%	2.609%
34	18.429	18.394	18.526	PV	559580	8377928	55.36%	2.776%
35	18.565	18.526	18.651	VB	495588	7525618	49.73%	2.494%
36	19.346	19.286	19.411	BB	496543	7500210	49.56%	2.485%

	Area	Height	Area%	Height%	Retention	Label	Mass	Mass%	Height%	
37	20.082	20.028	20.178	M	482302	7359462	48.63%	2.439%		
38	20.779	20.725	20.892	M	484458	7649223	50.17%	2.439%		
39	21.555	21.487	21.660	BB	382842	7963343	52.20%	2.439%		
					Sum of corrected areas:					3017

Aliphatic EPH 082922.M Fri Sep 16 05:25:02 2022

Instrument :
FID_E
ClientSampleId :
PB147655BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/16/2022
Supervised By :Ankita Jodhani 09/16/2022