

rters

Instrument :

FID_E

ClientSampleId :

PB163455BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/18/2024

Supervised By :Ankita Jodhani 09/18/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09172
Data File : FE050151.D
Signal(s) : FID1B.ch
Acq On : 17 Sep 2024 15:44
Sample : PB163455BSD
Misc :
ALS Vial : 19 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.273	3.241	3.339	BBA	572600	5638101	48.05%	2.601%
2	4.519	4.448	4.538	BV	619919	6021733	51.32%	2.778%
3	4.557	4.538	4.724	VB	612554	6146040	52.38%	2.835%
4	6.224	6.158	6.464	BB	615864	6364363	54.24%	2.936%
5	6.683	6.651	6.794	BB	604477	6082924	51.84%	2.806%
6	7.320	7.284	7.448	PV	548948	5660394	48.24%	2.611%
7	8.511	8.471	8.579	BBA	616900	6312022	53.80%	2.912%
8	8.621	8.581	8.794	BV	551528	5854543	49.90%	2.700%
9	8.920	8.890	9.138	VB	615211	6463584	55.09%	2.981%
10	9.710	9.634	9.835	BV	533089	5939738	50.62%	2.740%
11	10.115	10.077	10.201	PBA	580797	6359366	54.20%	2.933%
12	11.116	11.081	11.163	BV	487511	5391955	45.95%	2.487%
13	11.192	11.163	11.336	VV	467712	5484203	46.74%	2.530%
14	11.557	11.514	11.641	PBA	561499	6354331	54.16%	2.931%
15	11.877	11.788	11.991	BB	581814	6304482	53.73%	2.908%
16	12.867	12.831	12.903	BV	545283	6373291	54.32%	2.940%
17	12.937	12.903	13.098	VV	463925	5564237	47.42%	2.567%
18	13.235	13.201	13.274	VV	490097	5813365	49.55%	2.681%
19	13.310	13.274	13.438	VV	436033	5270942	44.92%	2.431%
20	13.477	13.438	13.608	VB	542365	6185110	52.71%	2.853%
21	14.061	13.948	14.168	BB	503531	6080985	51.83%	2.805%
22	15.115	14.938	15.135	BV	362131	4565739	38.91%	2.106%
23	15.161	15.135	15.508	VB	824221	11733169	100.00%	5.412%
24	16.185	16.141	16.249	BBA	454370	5930164	50.54%	2.735%
25	16.677	16.642	16.693	M	349027	4767636	40.63%	2.199%
26	16.708	16.695	16.806	M	385431	5091806	43.40%	2.349%
27	17.058	17.021	17.096	BV	260710	3936545	33.55%	1.816%
28	17.131	17.096	17.384	VB	436147	6605921	56.30%	3.047%
29	18.019	17.941	18.084	PB	447160	6111597	52.09%	2.819%
30	18.435	18.121	18.450	BV	143950	1568082	13.36%	0.723%
31	18.467	18.450	18.644	VV	150432	3785682	32.26%	1.746%
32	18.689	18.644	18.801	PBA	144099	2918345	24.87%	1.346%
33	18.850	18.801	19.071	BB	464325	6117700	52.14%	2.822%
34	19.634	19.581	19.708	BB	460524	6630710	56.51%	3.059%
35	20.374	20.036	20.431	PBA	463298	6865089	58.51%	3.167%
36	21.101	21.051	21.169	BBA	422760	7330895	62.48%	3.381%

37 21.993 21.931 22.099 BBA 305980 7170618 61.11% 3.308%
Sum of corrected areas: 2167

Aliphatic EPH 091024.M Wed Sep 18 02:10:45 2024

Instrument :

FID_E

ClientSampleId :

PB163455BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/18/2024
Supervised By :Ankita Jodhani 09/18/2024