

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE091819\
 Data File : FE030510.D
 Signal(s) : FID1B.CH
 Acq On : 18 Sep 2019 10:07
 Operator : DD\AJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Sep 19 01:17:55 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE090819.M
 Quant Title :
 QLast Update : Mon Sep 09 04:07:04 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.545	9989201	50.195 ug/ml
Target Compounds			
1) N-OCTANE	2.333	73831896	412.222 ug/ml
2) N-NONANE	3.295	76867355	425.401 ug/ml
3) N-DECANE	4.348	119533782	424.894 ug/ml
4) N-UNDECANE	5.375	120785966	636.315 ug/ml
5) N-DODECANE	6.357	120751907	636.311 ug/ml
6) N-TETRADECANE	8.155	122158863	632.538 ug/ml
7) N-HEXADECANE	9.750	101508289	522.568 ug/ml
8) N-OCTADECANE	11.169	50168678	259.255 ug/ml
9) N-EICOSANE	12.458	19725082	102.544 ug/ml
10) N-TETRACOSANE	14.761	19035690	99.288 ug/ml
11) N-OCTACOSANE	16.718	8959054	47.595 ug/ml
12) N-DOTRIACONTANE	18.440	8357340	47.018 ug/ml
14) N-HEXATRIACONTANE	19.964	7829631	49.407 ug/ml
15) N-TETRACONTANE	21.526	6410802	45.898 ug/ml
16) N-TETRATETRAOCTANE	24.057	4268992	34.850 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE091819\
Data File : FE030510.D
Signal(s) : FID1B.CH
Acq On : 18 Sep 2019 10:07
Operator : DD\AJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Sep 19 01:17:55 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE090819.M
Quant Title :
QLast Update : Mon Sep 09 04:07:04 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

