

rteres

Instrument :

FID_E

ClientSampleId :

PB163556BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/23/2024
Supervised By :Ankita Jodhani 09/23/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE092024
Data File : FE050268.D
Signal(s) : FID1B.ch
Acq On : 21 Sep 2024 05:30
Sample : PB163556BS
Misc :
ALS Vial : 34 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.267	3.241	3.339	BBA	624180	6145235	49.65%	2.763%
2	4.514	4.448	4.532	BV	685630	6487045	52.41%	2.917%
3	4.551	4.532	4.758	VB	656647	6702060	54.14%	3.014%
4	6.218	6.151	6.454	BB	644429	6784172	54.81%	3.051%
5	6.677	6.651	6.799	BBA	656173	6465985	52.24%	2.908%
6	7.313	7.279	7.498	PV	559692	6054843	48.92%	2.723%
7	8.504	8.471	8.579	BBA	642191	6747811	54.51%	3.034%
8	8.614	8.581	8.791	BV	587593	6219134	50.24%	2.797%
9	8.913	8.883	9.141	VB	649933	6897765	55.72%	3.102%
10	9.702	9.631	9.831	BV	548639	6252978	50.52%	2.812%
11	10.109	10.068	10.201	PBA	616497	6773802	54.72%	3.046%
12	11.108	11.081	11.157	BV	510349	5577457	45.06%	2.508%
13	11.184	11.157	11.331	VV	481442	5638924	45.56%	2.536%
14	11.551	11.514	11.641	PBA	590806	6746356	54.50%	3.034%
15	11.869	11.778	11.994	BB	558976	6148159	49.67%	2.765%
16	12.858	12.831	12.897	BV	566004	6648437	53.71%	2.990%
17	12.928	12.897	13.091	PV	484231	5738141	46.36%	2.580%
18	13.226	13.194	13.269	PV	501694	6084532	49.16%	2.736%
19	13.302	13.269	13.391	VV	408568	5096017	41.17%	2.292%
20	13.469	13.430	13.621	VB	539162	6538465	52.82%	2.940%
21	14.053	14.014	14.158	VB	533996	6402005	51.72%	2.879%
22	15.106	15.034	15.126	BV	360864	4607958	37.23%	2.072%
23	15.152	15.126	15.504	VV	827232	12378252	100.00%	5.566%
24	16.175	16.141	16.249	BBA	491880	6222119	50.27%	2.798%
25	16.667	16.551	16.682	BV	333682	4537803	36.66%	2.041%
26	16.698	16.682	16.911	VV	347394	6197071	50.06%	2.787%
27	17.049	17.017	17.090	VV	227231	3772538	30.48%	1.696%
28	17.123	17.090	17.401	VB	481095	7212358	58.27%	3.243%
29	18.010	17.931	18.124	VV	474200	6461270	52.20%	2.905%
30	18.429	18.301	18.443	BV	100944	1269799	10.26%	0.571%
31	18.461	18.443	18.654	VV	104236	3255198	26.30%	1.464%
32	18.681	18.654	18.801	PBA	91874	2034447	16.44%	0.915%
33	18.841	18.801	19.021	BB	476291	6543467	52.86%	2.942%
34	19.624	19.581	19.758	BB	473755	6767243	54.67%	3.043%
35	20.363	20.293	20.431	PBA	435562	6686447	54.02%	3.007%
36	21.089	21.051	21.169	BBA	381231	6524258	52.71%	2.934%

37 21.975 21.931 22.099 BBA 254444 5761776 46.55% 2.591%
rteres
Sum of corrected areas: 2223

Aliphatic EPH 091024.M Sat Sep 21 08:01:40 2024

Instrument :

FID_E

ClientSampleId :

PB163556BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/23/2024
Supervised By :Ankita Jodhani 09/23/2024