

rteres

Instrument :

FID_E

ClientSampleId :

PB163556BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/23/2024

Supervised By :Ankita Jodhani 09/23/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09202
Data File : FE050269.D
Signal(s) : FID1B.ch
Acq On : 21 Sep 2024 06:00
Sample : PB163556BSD
Misc :
ALS Vial : 35 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 091024.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.267	3.241	3.340	BBA	610121	6012398	50.04%	2.770%
2	4.513	4.448	4.532	BV	671346	6342364	52.78%	2.922%
3	4.551	4.532	4.735	VB	640533	6542536	54.45%	3.014%
4	6.217	6.158	6.488	BB	623703	6655229	55.39%	3.066%
5	6.676	6.651	6.791	BB	640286	6307830	52.50%	2.906%
6	7.312	7.277	7.495	PV	546539	5894780	49.06%	2.716%
7	8.504	8.471	8.579	BBA	632024	6580497	54.77%	3.032%
8	8.614	8.581	8.791	BV	565590	6028095	50.17%	2.777%
9	8.912	8.883	9.138	VB	614399	6687424	55.66%	3.081%
10	9.701	9.631	9.864	BV	538241	6077890	50.58%	2.800%
11	10.108	10.071	10.201	PBA	612888	6594007	54.88%	3.038%
12	11.107	11.081	11.156	BV	490569	5414201	45.06%	2.494%
13	11.183	11.156	11.331	VV	452294	5492943	45.71%	2.531%
14	11.550	11.507	11.641	PBA	599599	6549209	54.51%	3.017%
15	11.868	11.778	11.988	BB	553001	5943236	49.46%	2.738%
16	12.858	12.831	12.898	BV	542904	6408339	53.33%	2.952%
17	12.927	12.898	13.090	PV	459835	5580515	46.44%	2.571%
18	13.225	13.195	13.271	PV	507935	5920584	49.27%	2.728%
19	13.301	13.271	13.431	VV	406303	4946487	41.17%	2.279%
20	13.468	13.431	13.625	VB	515045	6328141	52.67%	2.915%
21	14.053	13.938	14.165	BB	513669	6204707	51.64%	2.858%
22	15.106	14.765	15.126	BV	371162	4457426	37.10%	2.054%
23	15.152	15.126	15.508	VV	781680	12015643	100.00%	5.536%
24	16.175	16.141	16.250	BBA	472672	6027810	50.17%	2.777%
25	16.666	16.639	16.683	M	340587	4577456	38.10%	2.109%
26	16.698	16.685	16.799	M	362344	5258996	43.77%	2.423%
27	17.049	17.018	17.091	VV	235117	3797980	31.61%	1.750%
28	17.122	17.091	17.445	VB	454769	7037815	58.57%	3.242%
29	18.008	17.928	18.121	VB	472623	6255933	52.06%	2.882%
30	18.425	18.392	18.437	M	126068	1554253	12.94%	0.716%
31	18.457	18.445	18.615	M	123668	3711788	30.89%	1.710%
32	18.680	18.648	18.801	PBA	117838	2570669	21.39%	1.184%
33	18.840	18.801	19.078	BV	484102	6217466	51.74%	2.864%
34	19.623	19.581	19.748	BB	474242	6554821	54.55%	3.020%
35	20.362	20.315	20.431	VBA	431042	6491232	54.02%	2.990%
36	21.088	21.051	21.169	BBA	368139	6336868	52.74%	2.919%

37 21.976 21.931 22.100 BBA 259196 5686605 47.33% 2.620%
rteres
Sum of corrected areas: 2176

Aliphatic EPH 091024.M Sat Sep 21 08:03:00 2024

Instrument :

FID_E

ClientSampleId :

PB163556BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/23/2024
Supervised By :Ankita Jodhani 09/23/2024