

rteres

Instrument :

FID_E

ClientSampleId :

S-1MS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09222
 Data File : FE037733.D
 Signal(s) : FID1B.ch
 Acq On : 22 Sep 2022 17:22
 Sample : N4725-01MS
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/23/2022
 Supervised By :Ankita Jodhani 09/23/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.021	3.001	3.112	BB	375046	3951454	39.60%	1.989%
2	4.279	4.235	4.300	BV	438424	4414293	44.24%	2.222%
3	4.318	4.300	4.437	VB	410931	4498375	45.08%	2.264%
4	5.992	5.956	6.162	BB	385937	4667524	46.78%	2.349%
5	6.450	6.405	6.522	BB	466579	4887097	48.98%	2.459%
6	7.006	6.972	7.055	BB	3228	53556	0.54%	0.027%
7	7.086	7.055	7.259	BB	375044	4736592	47.47%	2.384%
8	7.714	7.677	7.866	BB	506360	5695566	57.08%	2.866%
9	8.272	8.227	8.339	BB	468695	5252932	52.65%	2.644%
10	8.381	8.342	8.522	BB	426766	4861627	48.72%	2.447%
11	8.584	8.551	8.652	BV	287164	3561979	35.70%	1.793%
12	8.677	8.652	8.800	VB	484743	5406980	54.19%	2.721%
13	9.465	9.425	9.627	BB	433422	5127388	51.39%	2.580%
14	9.870	9.827	9.937	BB	501167	5522417	55.35%	2.779%
15	10.674	10.637	10.704	BB	3706	41782	0.42%	0.021%
16	10.868	10.820	10.921	BV	436524	4963793	49.75%	2.498%
17	10.944	10.921	11.087	VV	359709	4922963	49.34%	2.477%
18	11.306	11.260	11.362	BB	474478	5594557	56.07%	2.815%
19	11.627	11.580	11.702	BB	403810	4553566	45.64%	2.292%
20	12.610	12.565	12.657	BV	441095	5365305	53.77%	2.700%
21	12.683	12.657	12.813	PB	372266	4820068	48.31%	2.426%
22	12.979	12.938	13.022	BV	389157	4742413	47.53%	2.387%
23	13.051	13.022	13.130	VB	302723	3817501	38.26%	1.921%
24	13.217	13.170	13.268	BB	413664	5268840	52.81%	2.652%
25	13.801	13.718	13.862	BB	418240	5204575	52.16%	2.619%
26	14.860	14.820	14.877	BV	363214	4428797	44.39%	2.229%
27	14.900	14.877	15.075	VB	710461	9977843	100.00%	5.021%
28	15.358	15.297	15.450	BB	6411	278358	2.79%	0.140%
29	15.916	15.862	15.959	BB	360026	4913019	49.24%	2.472%
30	16.421	16.325	16.437	BV	374023	4836405	48.47%	2.434%
31	16.453	16.437	16.602	VB	348604	5140782	51.52%	2.587%
32	16.805	16.762	16.832	BV	296575	4178847	41.88%	2.103%
33	16.860	16.832	16.912	VV	352262	5178063	51.90%	2.606%
34	17.745	17.672	17.787	BB	339202	4844680	48.55%	2.438%
35	18.057	17.883	18.085	BB	2356	40002	0.40%	0.020%
36	18.186	18.101	18.199	BV	371122	4897729	49.09%	2.465%

rteres									
37	18.213	18.199	18.363	VB	357033	6027612	60.41%	3.033%	
38	18.440	18.391	18.533	BV	352753	5441141	54.41%	3.033%	
39	18.571	18.533	18.630	VV	342017	5011356	50.11%	3.033%	
40	18.673	18.630	18.702	VB	2786	52795	0.03%	3.033%	
41	18.965	18.916	18.990	BB	2706	32068	0.03%	3.033%	
42	19.173	19.031	19.212	BB	3628	131740	0.03%	3.033%	
43	19.351	19.290	19.392	BV	329139	5025580	50.37%	2.529%	
44	19.415	19.392	19.438	VV	2351	33760	0.34%	0.017%	
45	19.718	19.551	19.740	BBA	2007	20353	0.20%	0.010%	
46	19.917	19.741	19.947	BB	1426	112847	1.13%	0.057%	
47	19.974	19.949	20.020	BB	3889	69145	0.69%	0.035%	
48	20.088	20.031	20.139	BV	328305	4922696	49.34%	2.477%	
49	20.253	20.139	20.283	PV	11202	163533	1.64%	0.082%	
50	20.631	20.471	20.730	BBA	5703	393689	3.95%	0.198%	
51	20.787	20.731	20.852	BV	311930	5087336	50.99%	2.560%	
52	21.282	21.190	21.379	VV	4512	227058	2.28%	0.114%	
53	21.488	21.379	21.500	PV	1763	67542	0.68%	0.034%	
54	21.564	21.500	21.677	VB	239404	5239726	52.51%	2.637%	
Sum of corrected areas:					198707642				

Instrument :

FID_E

ClientSampleId :

S-1MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/23/2022
Supervised By :Ankita Jodhani 09/23/2022

Aliphatic EPH 082922.M Fri Sep 23 04:12:41 2022