

rters

Instrument :

FID_E

ClientSampleId :

SP-2MSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/26/2022
Supervised By :Ankita Jodhani 09/26/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE09232
Data File : FE037777.D
Signal(s) : FID1B.ch
Acq On : 24 Sep 2022 05:46
Sample : N4780-11MSD
Misc :
ALS Vial : 30 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_D\methods\Aliphatic EPH 082922.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.018	3.001	3.113	BB	372205	3800714	36.08%	1.846%
2	4.274	4.233	4.296	BV	449588	4506903	42.79%	2.189%
3	4.313	4.296	4.436	VB	424854	4609351	43.76%	2.239%
4	5.987	5.955	6.187	BB	385439	4874941	46.28%	2.368%
5	6.444	6.402	6.523	BB	483581	5080158	48.23%	2.467%
6	7.002	6.970	7.050	BB	3404	54955	0.52%	0.027%
7	7.080	7.050	7.249	BB	381547	4886843	46.39%	2.373%
8	7.708	7.668	7.874	BB	529842	6197569	58.84%	3.010%
9	8.265	8.216	8.336	BB	511145	5470884	51.94%	2.657%
10	8.374	8.339	8.533	BB	432157	5007887	47.54%	2.432%
11	8.577	8.541	8.645	BV	300584	3803085	36.11%	1.847%
12	8.669	8.645	8.823	VB	485258	5644258	53.59%	2.741%
13	9.458	9.421	9.622	BB	418084	5275798	50.09%	2.562%
14	9.863	9.817	9.928	BB	515635	5770994	54.79%	2.803%
15	10.674	10.640	10.703	BB	3201	37725	0.36%	0.018%
16	10.860	10.816	10.915	BV	437085	5150391	48.90%	2.501%
17	10.937	10.915	11.085	VV	370122	5078843	48.22%	2.467%
18	11.298	11.256	11.360	BB	503628	5850329	55.54%	2.841%
19	11.620	11.575	11.701	BB	404016	4465047	42.39%	2.169%
20	12.026	11.991	12.064	BB	4090	52524	0.50%	0.026%
21	12.601	12.554	12.647	BV	444050	5584908	53.02%	2.713%
22	12.674	12.647	12.819	PB	394060	5048276	47.93%	2.452%
23	12.970	12.926	13.014	BV	393565	4877163	46.30%	2.369%
24	13.042	13.014	13.077	VV	282644	3502074	33.25%	1.701%
25	13.209	13.157	13.251	BB	442108	5479082	52.02%	2.661%
26	13.792	13.709	13.855	BB	418411	5409197	51.35%	2.627%
27	14.849	14.806	14.867	BV	374632	4615406	43.82%	2.242%
28	14.889	14.867	15.077	VB	691766	10533259	100.00%	5.116%
29	15.401	15.303	15.448	BB	3836	170608	1.62%	0.083%
30	15.905	15.852	15.957	BB	379850	5136345	48.76%	2.495%
31	16.410	16.342	16.425	BV	401926	5024496	47.70%	2.440%
32	16.442	16.425	16.619	VB	340372	5558010	52.77%	2.699%
33	16.792	16.747	16.821	BV	303461	4188425	39.76%	2.034%
34	16.848	16.821	16.910	VV	392124	5645130	53.59%	2.742%
35	17.733	17.657	17.775	BB	350228	5090000	48.32%	2.472%
36	18.175	18.107	18.188	BV	380689	4914562	46.66%	2.387%

rteres									
37	18.203	18.188	18.395	VV	363749	6669898	63.32%	3.239%	
38	18.427	18.395	18.521	VV	351990	5661311	53.19%	2.721%	
39	18.560	18.521	18.629	VV	340739	5369344	50.77%	2.597%	
40	18.953	18.906	18.981	BB	2635	34388	0.36%	0.018%	
41	19.340	19.277	19.385	BV	346012	5289256	50.77%	2.597%	
42	19.965	19.790	19.998	BB	1836	39070	0.36%	0.018%	
43	20.075	20.031	20.131	BB	344214	5203192	49.40%	2.527%	
44	20.240	20.161	20.272	BV	5754	127885	1.21%	0.062%	
45	20.426	20.272	20.444	VB	1331	37846	0.36%	0.018%	
46	20.774	20.731	20.829	BB	329114	5347586	50.77%	2.597%	
47	21.550	21.465	21.662	BV	258420	5602183	53.19%	2.721%	
48	21.717	21.662	21.800	VBA	4032	115073	1.09%	0.056%	
Sum of corrected areas:					205893168				

Instrument :
FID_E
ClientSampleId :
SP-2MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/26/2022
Supervised By :Ankita Jodhani 09/26/2022

Aliphatic EPH 082922.M Sat Sep 24 18:11:14 2022